



കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

വാല്യം 5 Vol. V	തിരുവനന്തപുരം, ചൊവ്വ Thiruvananthapuram, Tuesday	2016 ജനുവരി 26 26th January 2016 1191 മകരം 12 12th Makaram 1191 1937 മാഘം 6 6th Magha 1937	നമ്പർ No.	4
--------------------	---	---	--------------	---

PART III Stores Purchase

Agriculture Department

ദർഘാസ് പരസ്യം

നമ്പർ സി-1173/2015. 2015 ഡിസംബർ 30.

കേരള ഗവർണ്ണർക്കുവേണ്ടി ഡെപ്യൂട്ടി ഡയറക്ടർ, വിത്തുകൃഷിത്തോട്ടം, മുണ്ടേരി വിവിധ നഴ്സറികൾക്ക് ആവശ്യമായ 40 (നാൽപ്പത്) മെട്രിക് ടൺ ഉണങ്ങിയ ചാണകപ്പൊടി വിതരണം ചെയ്യുവാൻ താൽപര്യമുള്ളവരിൽ നിന്നും മത്സരസ്വഭാവമുള്ള മുദ്രവച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

നിബന്ധനകൾ

- ടെണ്ടർ ഫോമുകൾ 30-1-2016-ന് ഉച്ചയ്ക്ക് 12 മണി വരെ ഓഫീസിൽ നിന്നും വിൽപ്പന നടത്തുന്നതും പുരിപ്പിച്ച ടെണ്ടർ ഫോമുകൾ 30-1-2016-ന് ഉച്ചയ്ക്ക് 2 മണി വരെ സ്വീകരിക്കുന്നതും അനുതന്നെ ഉച്ചയ്ക്ക് 3 മണിക്ക് ഡെപ്യൂട്ടി ഡയറക്ടറുടെയോ അദ്ദേഹം അധികാരപ്പെടുത്തുന്ന ഉദ്യോഗസ്ഥന്റെയോ സാന്നിധ്യത്തിൽ ക്ലേശൻ തുറന്ന് പരിശോധിക്കുന്നതുമാണ്.
- ടെണ്ടറിനോടൊപ്പം നിരതദ്രവ്യമായി ` 1,500 (ആയിരത്തി അഞ്ഞൂറ് രൂപ മാത്രം) ഡെപ്യൂട്ടി ഡയറക്ടർ, സീഡ് ഗാർഡൻ കോംപ്ലക്സ്, മുണ്ടേരി (പേയബിൾ അറ്റ് എസ്.ബി.റ്റി. നിലമ്പൂർ) എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് (ഡി.ഡി.) സമർപ്പിക്കേണ്ടതാണ്.

- ടെണ്ടർ ഫോമിന്റെ വില ` 300 + വിൽപ്പന നികുതി ആയിരിക്കും.
- പുരിപ്പിച്ച ടെണ്ടർ ഫോമുകൾ “ഡെപ്യൂട്ടി ഡയറക്ടർ, വിത്തുകൃഷിത്തോട്ടം, മുണ്ടേരി പി. ഒ., മലപ്പുറം ജില്ല, പിൻ-679 334” എന്ന വിലാസത്തിൽ സമർപ്പിക്കേണ്ടതും കവറിനു പുറത്ത് “നമ്പർ സി. 1173/2015 പ്രകാരം ഉണങ്ങിയ ചാണകപ്പൊടി വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ” എന്ന് രേഖപ്പെടുത്തേണ്ടതുമാണ്. ടെണ്ടർ ഫോമിനോടൊപ്പം ` 200 വിലയുള്ള മുദ്രപത്രത്തിലുള്ള പ്രാഥമിക കരാർ ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്. അല്ലാത്ത പക്ഷം ടെണ്ടറുകൾ നിരൂപാധികം നിരസിക്കുന്നതു മായിരിക്കും.
- ടെണ്ടറിൽ ഒരു മെട്രിക് ടൺ ഉണങ്ങിയ ചാണകപ്പൊടിയുടെ വില അക്കത്തിലും അക്ഷരത്തിലും വ്യക്തമായി രേഖപ്പെടുത്തേണ്ടതാണ്. ടെണ്ടറിൽ ഏറ്റവും കുറഞ്ഞ നിരക്ക് തുക രേഖപ്പെടുത്തുന്ന വ്യക്തിയുടെ പേരിൽ ഉന്നത മേലധികാരികളുടെ അംഗീകാരത്തിന് വിധേയമായി ടെണ്ടർ താൽക്കാലികമായി ഉറപ്പിക്കുന്നതും അംഗീകാരം ലഭിച്ചതായി അറിയിപ്പ് ലഭിച്ച് 15 ദിവസത്തിനുള്ളിൽ ഉണങ്ങിയ ചാണകപ്പൊടി ഡെപ്യൂട്ടി ഡയറക്ടർ നിർദ്ദേശിക്കുന്ന സ്ഥലത്ത് എത്തിച്ചുതരേണ്ടതുമാണ്.

6. ഈ ഫാമിൽ നിന്നും നിയോഗിക്കുന്ന ഉദ്യോഗസ്ഥൻ ഗുണനിലവാരം പരിശോധിച്ച് ഉറപ്പ് വരുത്തിയശേഷം മാത്രമേ ഉണങ്ങിയ ചാണകപ്പൊടി സ്വീകരിക്കുകയുള്ളൂ.
7. ഈ ടെണ്ടർ പ്രകാരമുള്ള നിരക്കിന് 31-3-2016 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കുന്നതാണ്.
8. ടെണ്ടറുകൾ റദ്ദാക്കുവാനോ നിരസിക്കുവാനോ ഉള്ള പൂർണ്ണ അധികാരം ഫാം ഡെപ്യൂട്ടി ഡയറക്ടറിൽ നിക്ഷിപ്തമായിരിക്കും.
9. നിലവിലുള്ള സർക്കാർ ടെണ്ടർ വ്യവസ്ഥകൾ ഈ ടെണ്ടറിനും ബാധകമായിരിക്കും.
10. ടെണ്ടർ ദിവസം സർക്കാർ അവധി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവർത്തി ദിവസം ടെണ്ടർ നടത്തുന്നതാണ്.

ജില്ലാ വിത്തുകൃഷിത്തോട്ടം, (ഒപ്പ്)
മുണ്ടേരി, മലപ്പുറം-679 334. ഡെപ്യൂട്ടി ഡയറക്ടർ.

Collegiate Education Department

ദർഘാസ് പരസ്യം

നമ്പർ ബി1-565/2014. 2016 ജനുവരി 5.

ചവറ ബേബിജോൺ മെമ്മോറിയൽ ഗവൺമെന്റ് കോളേജിൽ 2015-16 വർഷത്തിൽ വിവിധ വകുപ്പുകൾ, ജനറൽ ലൈബ്രറി, ഓഫീസ്, കമ്പ്യൂട്ടർ ലാബുകൾ എന്നിവിടങ്ങളിലേക്ക് 12-ാം പദ്ധതിയിലെ യു. ജി. സി. ധനസഹായമായ ` 4,34,500 ഉപയോഗിച്ച് ഓപ്റ്റിക് ഫൈബർ, യു.റ്റി.പി. കേബിളും അനുബന്ധ ഉപകരണങ്ങളും ഉപയോഗിച്ച് ലോക്കൽ ഏരിയ നെറ്റ് വർക്ക് സ്ഥാപിക്കുന്നതിനും പരിപാലിക്കുന്നതിനുമുള്ള മുദ്രവച്ച പുരിപ്പിച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ദർഘാസുകൾ പ്രിൻസിപ്പാൾ ചവറ ബേബി ജോൺ മെമ്മോറിയൽ ഗവൺമെന്റ് കോളേജ്, ചവറ, പിൻ-691 583 എന്ന വിലാസത്തിൽ 5-2-2016-ന് 3 മണിക്കകം ലഭിക്കത്തക്ക വണ്ണം സമർപ്പിക്കേണ്ടതാണ്. കവറിന് മുകളിൽ “ലോക്കൽ ഏരിയ നെറ്റ് വർക്ക് സ്ഥാപിക്കുന്നതിനും പരിപാലിക്കുന്നതിനുമുള്ള ദർഘാസുകൾ” എന്ന് രേഖപ്പെടുത്തേണ്ടതാണ്. ലഭിച്ച ടെണ്ടറുകൾ അന്നേദിവസം 4 മണിക്ക് അപ്പോൾ സന്നിഹിതരായിരിക്കുന്ന ദർഘാസുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. താമസിച്ച് ലഭിക്കുന്ന ടെണ്ടറുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് ഫോറങ്ങളും അതോടൊപ്പം ഇതുമായി ബന്ധപ്പെട്ട ജോലികളുടെ വിശദവിവരങ്ങളും സാങ്കേതിക വിശദീകരണങ്ങളും പ്രത്യേക നിബന്ധനകളും കോളേജ് ഓഫീസിൽ നിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ രാവിലെ 10.15 മുതൽ വൈകിട്ട് 3 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 5-2-2016 ഉച്ചയ്ക്ക് 1 മണിക്ക് അവസാനിക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറത്തിന്റെ വില ` 937 (വാറ്റ്, സെസ് ഉൾപ്പെടെ). ഒരിക്കൽ ദർഘാസ് ഫോറത്തിന് നൽകിയ വില യാതൊരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോറം തപാലിൽ ലഭിക്കേണ്ടവർ 55 അധികമായി തപാൽ ചെലവിനായി അയച്ചുതരേണ്ടതാണ്.

ചെക്ക്, പോസ്റ്റേജ് സ്റ്റാമ്പ് എന്നിവ ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല.

ദർഘാസിനോടൊപ്പം അടങ്കൽ തുകയുടെ 1% തുകയായ ` 4,345 നിരതദ്രവ്യമായി നൽകേണ്ടതാണ്. നിരതദ്രവ്യം റൊക്കം പണമായോ ക്രോസ്ഡ് ബാങ്ക് ഡ്രാഫ്റ്റായോ, ട്രഷറി സേവിംഗ്സ് ബാങ്ക് സർട്ടിഫിക്കറ്റായോ, സർക്കാർ പ്രോവിഡൻ്റ് നോട്ടായോ, ബാങ്ക് ഗ്യാരന്റിയായോ, നാഷണൽ സേവിംഗ്സ് ബാങ്ക് സർട്ടിഫിക്കറ്റായോ സമർപ്പിക്കാവുന്നതാണ്. ആറുമാസത്തിൽ കുറയാത്ത കാലാവധിയിൽ പ്രിൻസിപ്പാൾ, ബി.ജെ.എം. ഗവ. കോളേജ്, ചവറ എന്ന പേരിൽ എസ്. ബി. റ്റി. യുടെ ഫിക്സഡ് ഡെപ്പോസിറ്റായോ ദർഘാസ് സമർപ്പിക്കുന്നയാളിന്റെ പേരിലുള്ള ഫിക്സഡ് ഡെപ്പോസിറ്റിൽ പ്രിൻസിപ്പാളിന്റെ പേരിൽ എൻഡോഴ്സ് ചെയ്തോ നിരതദ്രവ്യം സമർപ്പിക്കാവുന്നതാണ്. ദർഘാസ് സ്വീകരിക്കുന്നതിനും തുറക്കുന്നതിനുമുള്ള അവസാന തീയതി ഏതെങ്കിലും കാരണത്താൽ പൊതു അവധിയായി പ്രഖ്യാപിച്ചാൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം സമയക്രമത്തിൽ മാറ്റമില്ലാതെ ദർഘാസ് സ്വീകരിക്കുന്നതും തുറക്കുന്നതും തുമാണ്.

സാധനങ്ങൾ മൊത്തമായി നൽകുന്നതിനും സ്ഥാപിച്ചു പരിപാലിക്കുന്നതിനുമുള്ള നിരക്കുകൾ രേഖപ്പെടുത്താവുന്നതാണ്. ഏറ്റവും കുറഞ്ഞ നിരക്ക് രേഖപ്പെടുത്തുന്ന സ്ഥാപനങ്ങൾക്ക് ടി സ്ഥാപനങ്ങൾ നൽകുന്ന സാധനത്തിന്റെ ഗുണമേന്മയും സ്ഥാപനത്തിന്റെ ആസ്തിയും ഈ മേഖലയിലുള്ള പ്രവൃത്തിപരിചയം കൂടി കണക്കിലെടുത്ത് വിതരണ ഉത്തരവ് നൽകുന്നതാണ്. കേബിളുകൾ, സ്വിച്ചുകൾ എന്നിവ ഉൾപ്പെടെയുള്ള എല്ലാ ഉപകരണങ്ങൾക്കും ആയുഷ്കാല വാറന്റി (കുറഞ്ഞത് 25 വർഷം) ഉണ്ടായിരിക്കേണ്ടതാണ്.

കേരളത്തിൽ ഏതെങ്കിലും സ്ഥാപനത്തിൽ ഈ പ്രവൃത്തി ചെയ്തിട്ടുണ്ടെങ്കിൽ അതിന്റെ വിശദവിവരം കൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. വിതരണത്തിനും സ്ഥാപിച്ചു പരിപാലിക്കുന്നതിനുമുള്ള ഉത്തരവ് ലഭിച്ചുകഴിഞ്ഞാൽ 15 ദിവസത്തിനുള്ളിൽ മേൽ പരാമർശിച്ചിട്ടുള്ള സ്ഥലങ്ങളിൽ നെറ്റ് വർക്ക് സ്ഥാപിക്കുന്നതിനാവശ്യമായ ജോലികൾ തുടങ്ങേണ്ടതാണ്. അതിനായി യാതൊരുവിധ കടത്തുകുലിയും കയറ്റിറക്കുകുലിയും നൽകുന്നതല്ല. ഓരോ സാധനത്തിനും വാറ്റ് നികുതിയും സെസ്സും ഉൾപ്പെടെയുള്ള വിലകളാണ് ദർഘാസിൽ രേഖപ്പെടുത്തേണ്ടത്. വിതരണ ഉത്തരവ് ലഭിച്ച് നിശ്ചിത സമയപരിധിക്കുള്ളിൽ മേൽ പരാമർശിച്ച പ്രകാരമുള്ള ജോലികൾ തുടങ്ങാതിരുന്നാൽ തൊട്ടടുത്ത ദർഘാസുകാരന് ഉടനെ ഈ ജോലികൾ തുടങ്ങുന്നതിനുള്ള ഉത്തരവ് നൽകുന്നതും ഇത്തരത്തിൽ സർക്കാരിനുണ്ടാകുന്ന നഷ്ടം ആദ്യ ദർഘാസുകാരനിൽ നിന്ന് ഈടാക്കുന്നതിനുള്ള നിയമാനുസൃത നടപടികൾ സ്വീകരിക്കുന്നതും ടി സ്ഥാപനത്തെ കരിമ്പട്ടികയിൽ ഉൾപ്പെടുത്തുന്നതുമാണ്.

ദർഘാസിൽ പറയുന്ന തുകയേക്കാൾ കൂടുതൽ ഒരിക്കലും ആവശ്യപ്പെടാൻ പാടില്ലാത്തതും അപ്രകാരം തുക വർദ്ധിപ്പിച്ചു നൽകുന്നതല്ലാത്തതുമാകുന്നു.

ഉത്തരവ് ലഭിക്കുന്നവർ ജോലി പൂർത്തിയായതിനുശേഷം സാധനങ്ങളുടെ വിലയും അവ സ്ഥാപിക്കുന്നതിനും പരിപാലിക്കുന്നതിനും ആവശ്യമായി വരുന്ന ചെലവുകൾ പ്രിൻസിപ്പാൾ, ബി.ജെ.എം. ഗവ. കോളേജ്, ചവറ എന്ന പേരിൽ രേഖപ്പെടുത്തിയ ഇൻവോയ്സിന്റെ മൂന്നു പകർപ്പുകളും ഹാജരാക്കേണ്ടതാണ്. സാധനങ്ങൾ നൽകുന്നതിനു മുമ്പ് ` 200 മുഖവിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ സ്റ്റോർ പർച്ചേഴ്സ് മാനുവൽ അനക്സർ 23 പ്രകാരമുള്ള കരാർ സമ്മതപത്രവും സപ്ലൈ ഓർഡറിൽ പറയുന്ന തുകയുടെ 5% തുകയ്ക്കുള്ള ഡി.ഡി. സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും ഹാജരാക്കിയിരിക്കേണ്ടതാണ്.

ദർഘാസ് തീയതിയിൽ മാറ്റം വരുത്തുന്നതിനോ റദ്ദാക്കുന്നതിനോ ഉള്ള പൂർണ്ണ അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

No. B1-565/2014.

5th January 2016.

Sealed competitive tenders are invited for the supply, install and Maintenance of Local Area Network using Optic Fiber, UTP Cables and other Accessories in various Departments, General Library, Labs and Office in Baby John Memorial Government College, Chavara utilizing an amount of ` 4,34,500 allotted as UGC Assistance during XII Plan period.

The envelopes containing the tenders should be superscribed as "Tender for Supply, Installation and Maintenance of Local Area Network" and addressed to the Principal, Baby John Memorial Government College, Chavara, Kollam, Pin-691 583 so as to reach this college on or before 3 p. m. on 5-2-2016. Late tenders will not be accepted. Tenders will be opened at 4 p. m. on 5-2-2016 in the presence of tenderers or their authorized representatives who may be present at that time.

Tender forms along with the details of work, technical specifications and special conditions can be had from the College Office from 10.15 a. m. to 3 p. m. on all working days. The sale of tender forms will be closed at 1 p. m. on 5-2-2016. The cost of tender form is ` 937 (Rupees Nine hundred and thirty seven only) including VAT + Cess. Those who wish to get the tender forms by post should send an additional amount of ` 55 towards postage charges.

Cheque, Stamps etc. will not be accepted towards the cost of the tender forms nor will the forms be send by V.P.P. Tender forms are not transferable.

Along with tender, EMD @ 1% of the total amount of contract to ` 4,345 (Rupees Four thousand three hundred and forty five only) should also be submitted. EMD will be accepted either in cash or in Crossed Bank Drafts or Treasury Savings Bank Certificate or Government Promissory Notes or Bank Guarantee or National Savings Certificate. Fixed Deposit in the SBT, in the name of the purchasing officer or in the name of the depositor with due endorsement thereon to the Purchasing Officer will also be accepted provided the period is not less than six months.

If the last date of receipt of the tenders or the opening date of the tenders is declared as a holiday, then the same will be postponed to the next working day.

Rate should be quoted for installing and maintaining the equipments as per schedule. Tender should be awarded to the firm who has quoted the lowest rate and considering the quality of equipments supplied, financial back ground and experience of the firm in this field. If the firms has successfully carried out the same work any where in Kerala, the details should also be submitted along with the tender forms. All the accessories including switches and cables should have preferably life time warranty (Minimum 25 years).

The successful tenderer should commence their work within 15 days from the date of issue of Work Order in this regard. No freight, loading and unloading charges etc. will be paid for this purpose. The rate quoted in the tender should include all taxes such as VAT, Cess etc. If the work is not commenced within the prescribed time after the receipt of the work order the tender will be awarded to the next highest bidder and the loss sustained to the Government in this regard will be levied from the first bidder and steps will be taken to get include the firm in the black list. On no account, the contractor should demand the amount higher than that quoted in the tender. Any claim other than that quoted in the tender will not be accepted. An agreement in Kerala Stamp Paper worth ` 200 (Rupees Two hundred only) should be executed in the prescribed form as specified in Annexure-23 of the Store Purchase Manual.

After successful commissioning of the project, the invoices in triplicate addressed to the Principal, B. J. M. Government College, Chavara should be forwarded for payment to the undersigned. The payment will be effected only after verification of the work completed.

The undersigned is fully vested with the power to alter or cancel the tender.

B. J. M. Government
College, Chavara.

(Sd.)
Principal.

Website: www.bjmgovtcollege.in.

ദർഘാസ് പരസ്യം
[നമ്പർ 2/2015-16 (പി)]

നമ്പർ എ1/112/2015/(പി).

2015 ഡിസംബർ 29.

താമൂർ ഗവൺമെന്റ് ആർട്സ് & സയൻസ് കോളേജിലെ കോമേഴ്സ് ഡിപ്പാർട്ടുമെന്റിലേക്ക് 2015-16 സാമ്പത്തിക വർഷത്തിൽ പ്ലാൻ പദ്ധതിയിൽ 'സ്റ്റാർട്ടിംഗ് ഓഫ് ന്യൂ കോഴ്സസ് ആന്റ് അപ്ഗ്രേഡിംഗ് എക്സിസ്റ്റിംഗ് കോഴ്സസ്' ശീർഷകത്തിൽ ` 1,75,000-ന് കമ്പ്യൂട്ടറുകൾ വിതരണം ചെയ്യാൻ തയ്യാറുള്ളവരിൽനിന്നും മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ അടക്കം ചെയ്ത കവറിനു പുറത്ത് "ടെണ്ടർ നോട്ടീസ് നമ്പർ 2/2015-16 (പി) 2015-16 പ്ലാൻ പദ്ധതിയിൽ സ്റ്റാർട്ടിംഗ് ഓഫ് ന്യൂ കോഴ്സസ് ആന്റ് അപ്ഗ്രേഡിംഗ് എക്സിസ്റ്റിംഗ് കോഴ്സസ് ശീർഷകത്തിൽ കോമേഴ്സ് ഡിപ്പാർട്ടുമെന്റിലേക്ക് കമ്പ്യൂട്ടറുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്" എന്നെഴുതി പ്രിൻസിപ്പാൾ, ഗവ. ആർട്സ് ആന്റ് സയൻസ് കോളേജ്, താമൂർ, കെ. പുരം പി. ഒ., മലപ്പുറം ജില്ല, കേരളം, പിൻ-676 307 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 3-2-2016-ന് ഉച്ചയ്ക്കുശേഷം 2 മണിവരെ ആകുന്നു. ദർഘാസുകൾ അനേദിവസം ഉച്ചയ്ക്കുശേഷം 2.30-ന് ഹാജരായിട്ടുള്ള ദർഘാസുകാരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 3-2-2016-ന് ഉച്ചയ്ക്കുശേഷം 12.30-ന് അവസാനിക്കുന്നതാണ് വെങ്കി കിട്ടുന്നതും അപൂർണ്ണവുമായ ടെണ്ടറുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം

ലഭിക്കുന്നതിന് മേൽ കാണിച്ച വിലാസത്തിൽ അപേക്ഷിക്കേണ്ടതാണ്. അപേക്ഷയോടൊപ്പം ദർഘാസ് ഫോറത്തിന്റെ വിലയായ ` 368 (മൂല്യ വർദ്ധിത നികുതി ഉൾപ്പെടെ) അടയ്ക്കേണ്ടതാണ്. പ്രസ്തുത സംഖ്യ യാതൊരു കാരണവശാലും മടക്കി നൽകുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്കുകൾ, പോസ്റ്റൽ ഓർഡറുകൾ, പോസ്റ്റൽ സ്റ്റാമ്പുകൾ എന്നിവ സ്വീകരിക്കുന്നതോ ദർഘാസുകൾ വി. പി. പി. ആയി അയച്ചുകൊടുക്കുന്നതോ അല്ല. ദർഘാസ് ഫോറം തപാലിൽ ലഭിക്കുന്നതിന് ദർഘാസ് ഫോറത്തിന്റെ വിലയും തപാൽ ചാർജ്ജും ഉൾപ്പെടെ ` 418 മണി ഓർഡർ അയച്ചുതരേണ്ടതാണ്.

പുരിപ്പിച്ചതും ഒപ്പിട്ടതുമായ ദർഘാസ് ഫോറത്തിന്റെ കൂടെ ആകെ തുകയുടെ 1% തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ താനൂർ എസ്. ബി. ഐ. ബ്രാഞ്ചിൽ മറാവുന്ന തരത്തിൽ ഡിമാന്റ് ഡ്രാഫ്റ്റ് അടക്കം ചെയ്യേണ്ടതാണ്. നിരതദ്രവ്യത്തിന് പലിശ ലഭിക്കുന്നതല്ല. ഓരോ ഉപകരണത്തിന്റെയും വില, വാറ്റ്, മറ്റു ചെലവുകൾ എന്നിവ പ്രത്യേകം കാണിക്കേണ്ടതാണ്. വിതരണ ഉത്തരവ് കിട്ടി ഒരു മാസത്തിനുള്ളിൽ ഉപകരണങ്ങൾ സ്വന്തം ചെലവിൽ കോളേജിൽ എത്തിക്കേണ്ടതാണ്. വിലനിലവാരത്തിന് 31-3-2016 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കുന്നതാണ്. ഓരോ ടെണ്ടറിന്റേ കൂടെയും ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ കരാർ എഴുതി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യം അടയ്ക്കുന്നതിൽനിന്നും ഒഴിവാക്കിയിട്ടുള്ള സ്ഥാപനങ്ങൾ ഉത്തരവിന്റെ ശരിപകർപ്പ് ദർഘാസിന്റെ കൂടെ അടക്കം ചെയ്യേണ്ടതാണ്. യാതൊരു മുന്നറിയിപ്പും കൂടാതെ ദർഘാസ് നടപടികൾ റദ്ദാക്കുന്നതിനോ നീട്ടി നൽകുന്നതിനോ ഉള്ള അധികാരം താഴെ ഒപ്പിട്ടിട്ടുള്ള ആളിൽ നിക്ഷിപ്തമാണ്. ആഫീസിലെ പണമിടപാട് സമയം രാവിലെ 10 മണി മുതൽ ഉച്ചയ്ക്ക് ശേഷം 2 മണിവരെ ആകുന്നു. കൂടുതൽ വിവരങ്ങൾ ആഫീസ് പ്രവർത്തി സമയങ്ങളിൽ നേരിട്ട് അന്വേഷിച്ചാൽ ലഭിക്കുന്നതാണ്.

[No. 2/2015-16 (P)]

No. A1-112/2015 (P). 29th December 2015.

Sealed competitive tenders are invited for the Supply of Computers to the Commerce Department of Government Arts and Science College, Tanur for total cost of ` 1,75,000 (Rupees One Lakh Seventy five Thousand only) under the scheme of starting of new courses and upgrading of existing courses (Plan) 2015-16.

The Envelope containing the tender should be superscribed as "Tender No. 2/2015-16(P) Tender for supply of computers to Govt. Arts and Science College, Tanur, under the scheme of Starting of new courses and Upgrading of existing courses (Plan) 2015-16" and addressed to "The Principal, Govt. Arts and Science College, Tanur, K. Puram P.O., Malappuram Dist., Kerala,

Pin-676 307." The last date and time for receipt of filled tender is at 2 p. m. on 3-2-2016. The tenders will be opened at 2.30 p. m. on the same day in the presence of such tenderers or their authorized representative who may be present at that time. Sale of tender form will be closed on 3-2-2016 at 12.30 p. m. Late tenders will not be accepted at any account.

Intending tenderers may make an application to the Principal to obtain the requisite tender form, in which tenders should be submitted. The original tender form duly filled and signed only will be accepted. Application for the tender form should be accompanied by a cash remittance of ` 368 (including VAT) which is price fixed for a tender form and which is not transferable. Cheques, Postal Orders and Postal Stamps will not be accepted towards the cost of tender form and the tender form will not be sent by V.P.P. Those who require tender form by registered post should sent the cost of tender form ` 418 including postal charges for registered post by money order. Every tenderer should execute an agreement in Kerala Stamp Paper worth ` 200 along with the tender. "The articles should be supplied within One month on receipt of the purchase order to this college at your own expenses".

The period of firmness of rate quoted will be up to 31-3-2016. Rates, VAT and Condition of supply of articles should clearly be stated separately in respect of each item.

The tenders should be accompanied by an EMD of 1% (One percent) of the total cost in the form of Demand Drafts drawn in favour of the Principal, Govt. Arts and Science College, at SBI, Tanur Branch only. Tenders without sufficient EMD are liable to be rejected. EMD will not carry any interest. The firm who are exempted from furnishing, EMD should be enclosed the attested copy of exemption orders. More details can be had from the college office during working days. Cash transaction in the office is from 10 a.m. to 2 p.m. on all working days.

The undersigned will have the right to cancel or extend the tender formalities at any time without further notice.

LIST OF EQUIPMENTS

Items	Specification	Quantity
Desktop Computer	Intel core i3 processor Intel Cipset board 4 GB DDR3 Memory, 500 GB SATA Hard Drive Optical mouse 18.5" TFT LED monitor 3 years warranty	7

Government Arts and Science College,
K. Puram P. O., Tanur.
Phone: 0494-2582800.

(Sd.)
Principal.

Fire and Rescue Services Department**e-TENDER NOTICE (RE-TENDER)**

No. J1-9148/2015.

11th January 2016.

e-Tenders in two cover system are invited from competent dealers for the supply of 20 numbers of Hydraulic Rescue Tool set as per the Technical specifications of Fire and Rescue Services Department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders having enrollment in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts.

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS/E-TENDER/RE-TENDER No. 15/2015-16—` 400 Lakhs.

EMD—1% of PAC in online payment.

Cost of e-Tender (online submission)—` 25,000 + VAT @ 5%.

Date and time of floating tender—12-1-2016, 5 p. m.

Date and time of pre bid meeting—18-1-2016, 11 a. m.

Last date and time of receipt of e-tender—28-1-2016, 5 p. m.

Date and time of Technical Bid opening —1-2-2016, 11 a. m.

Date and time of Demo/Presentation by tenderers—2-2-2016, 12 Noon.

Date and time of Financial Bid opening —3-2-2016, 11 a. m.

Date upto which the rates are to remain firm for acceptance—30-9-2016.

Security Deposit—5% of total contract amount inclusive of EMD, to be furnished as online payment or as bank guarantee of a scheduled bank.

Period of supply—Within 30 days of receipt of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in>. and then select tender and initiate payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options-State Bank of Travancore SBT Net banking payment, payment through NEFT from other Banks to the payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrollment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened online in the presence of such tenderers or their authorized representatives who have logged in at the prescribed time of opening of technical & financial bids. If the date fixed for opening happens to be a holiday/due to net failure the tenders will be opened in the next working day, at the same time.

The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed with necessary documents and presentations on all the technical aspects of the fabrication and accessories, as they have to give presentations on the next day of tender opening i.e. on 2-2-2016.

The price of the e-tender form shall be received only through online payment SBT/SBT NEFT.

The cost should be quoted in Indian currency only.

The tender has two covers

- Technical cover
- Financial cover

The first cover i.e., the technical cover shall be uploaded with the following document.

1. Scanned copy of technical specifications compliance statement of the product intended to supply.

The bidder should prepare the specification compliance statement in the following proforma and upload. The specification compliance statement should contain all the details in the Departmental technical specifications and the compliance to the same to be properly marked and deviation, if any, shall be marked in the compliance statement.

**Specification Compliance Statement for
Hydraulic Rescue Tool Set**

<i>Sl. No.</i>	<i>Detail of Departmental Technical Specification</i>	<i>Detail of the product offered</i>	<i>Deviation from Departmental Technical Specification, if any</i>

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 100.
3. Brochure of the product intended to supply.
4. Work experience certificate or other relevant details.
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 100 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partner/s or any of his directors in connection with fabrication/supply of similar product made earlier to this Department.

I,(Name, Address, firm), do hereby declare that no Vigilance Case have been charge sheeted and pending trial at Court against me, any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.
6. Scanned copies of the supporting documents that are to be considered for weightage during evaluation.

Pre bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending, an e-Mail to hqfrs@kerala.gov.in and by contacting Station Officer (Motor Transpot), Fire and Rescue Services Headquarters in Phone Number 09497920291.

Tender opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the fabrication and accessories for the full understanding of the Head Office Purchase Committee (Technical), on the date specified. The presentation will also be counted for evaluation.

(b) There will not be any further communications about the opening, of the technical and financial bids separately. Soon on opening the technical bid of e-tenders, the committee constituted to evaluate the technical aspects of the vehicle fabrication will meet and scrutinize the technical specification of fabrication submitted with the e-tender.

(c) Evaluation of the tender will be on weightage basis and 60% weightage will be given to technical Evaluation and 40% weightage will be given to the financial evaluation.

(d) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for weightage and subsequent financial evaluation.

(e) Those tenders which comply the Departmental Technical Specifications will be given weightage marks based on the factors/criteria specified. Only those firms which score minimum 50% weightage marks will be considered for financial evaluation. If three or more firms are not getting more than 50% weightage score, the three firms with the maximum weightage score will be considered for financial evaluation. The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire & Rescue Services Department alone will be considered.

(f) On finalization of technical evaluation, the second cover i.e. the financial bid of the concerned competent firm will be opened by the Head Office Committee (Finance) for consideration.

(g) Experience of bidder in Years in the supply of Hydraulic Rescue Tools, Total Number of Hydraulic Rescue Tools supplied by the bidder to Government Departments/PSUs, Years of Extended warranty offered, totality and effectiveness of the presentation by the bidder, Number of Service centers in Kerala, Experience of OEM, in Hydraulic Rescue Tools Manufacturing, Number of years of operation of OEM in India, ISO or similar certification for OEM, Total number of Hydraulic Rescue Tools supplied to different Government Departments/PSUs from OEM, Number of OEM repair centers available in Kerala with Address, Stroke length of Hydraulic RAM and the Weight of each tool will be considered for weightage on technical evaluation. The bidder should upload the supporting documents for the above along with the Technical cover.

(h) The originals of Technical specification compliance statement of the product, Agreement in stamp paper worth ` 100, the declaration on Kerala Stamp Paper worth ` 100 and the item intended to supply shall be produced before the undersigned soon after the Financial Bid opening.

(i) The Head Office Tender Evaluation Committee, Kerala Fire & Rescue Services, Thiruvananthapuram, will scrutinize all the tender Documents and the procedures that followed by Head Office Purchase Committee (Technical) and Head Office Purchase Committee (Financial), and prepare a comprehensive report, and will give recommendations regarding the Award of Contract to the Director General, who may get the approval of DPC. The decision of the Director General will be final for the award of contract.

(j) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason, at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender, he/she can send email to da.frs@kerala.gov.in or fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchase can be obtained from the e-tender website <https://etenders.kerala.gov.in>.

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

TENDER CONDITIONS

1. Whether samples are essential : Pamphlets, Photograph, Drawings, CDs etc. should be forwarded along with the tender.
2. Period with in which goods should be delivered : Within 30 days from receipt of supply order.
3. Rates should be quoted including all taxes and transportation charge and rate of AMC : f.o.r, Thiruvananthapuram
4. Payment : 100% Payment against delivery at Thiruvananthapuram and acceptance by an acceptance committee
5. Other Special Conditions:
 1. A warranty of 36 months from the delivery of the item.
 2. EMD-1% of PAC in online payment.
 3. Security Deposit 5% of total contract amount inclusive of EMD to be furnished as mentioned in the notice inviting e-Tender, which will

be released after the expiry of the warrantee period on production of sufficient security for the AMC period.

4. Any firm whose proprietor, Partner or Director against whom any Vigilance Case has been charge sheeted and pending trial at Court in connection with fabrication/Supply of similar product made earlier to this Department/Kerala Government are not eligible to participate and shall be barred from participating in this tender.
5. Anybody attempting to offer bribe or otherwise influence in any manner the officials of the Kerala Fire and Rescue Services or its supervisory levels in the Government will be disqualified.
6. A 5 years AMC shall be desirably provided by the qualified firm after the warranty period. AMC amount shall also be quoted in the bid separately.
7. Training shall be given by the bidder to the selected staff of this Department as and when required within one year from the date of delivery at their own cost.
8. Fullstock/spares and technicians shall be available in India and service should be available for any repair or maintenance within 48 hours of a call from this department.

9. Details of extended warranty, if any, shall be separately mentioned and will be preferred.
 10. The bidder shall submit an undertaking from OEM that the OEM shall support the equipment supplied by the bidder for a period of minimum 5 Years.
 11. Bidder shall submit a manufacturer authorisation Certificate to authorise the supplier to participate in the bid (Addressed to the Director General, Kerala Fire and Rescue Services)
- The hydraulic rescue tools shall be designed to withstand a test pressure of two times their maximum working pressure. Each tool has to be equipped with two internal safety valves for protection against any type of mechanical or hydraulic overload for each cylinder and each tool shall have a separate safety valve for protection against overpressure, in case one of the return couplers is disconnected. Moreover, all tools shall comply with the European CE safety standards and European Norm EN 13204 or equivalent national/international standards.
 - All hydraulic rescue tools shall be equipped with automatic devices to hold any load in any position when the control valve is in neutral position, or in cases of disconnected couplers or sudden pressure drops.
 - The cutters and spreaders shall be provided with a non-slip, U-shaped carrying handle which allows free movement of the tool from one side to the other. The carrying handle would be mounted in such a way that the tool is fully balanced, even when the tool is picked up with one hand. The position of the carrying handle and the control handle shall allow easy operation for right handed as well as left handed operators.
 - Hydraulic rescue tools shall be provided with, double acting hydraulic cylinder with a dead man's type control and shall be able to operate with one hand by the operator in any position.
 - The tools shall be provided either with two hoses, one for pressure line and other for return line, or one hose having pressure line and return line within the same hose. The hoses shall be fitted in the centre of the control handle to avoid personal harm in case of leakage. The hoses shall allow full 360° rotation and shall be equipped with anti-kink springs over the entire length, in the case of dual hose system.
 - The tool body, yokes, and spreader arms shall be made out of high quality aluminium alloy for solid construction with low weight. All aluminium alloy parts shall be ANODISED as a protection against corrosion and scratching. All hinge pins, levers and cutter blades shall be made out of high tensile (heat treated) tool steel and blackened as protection against corrosion.
 - The construction of the tool should be so as to allow its use under water for long periods without the risk of any material damage to any part of the tool.

TECHNICAL SPECIFICATION

General Requirement

- The Hydraulic Rescue tools shall be portable and light-weight, and shall be suitable to use by one man. The Hydraulic Rescue tools shall be supplied in set form, consist of main equipment like spreader, cutter, telescopic ram and hoses and power pack and manual pump along with all the accessories.
- The Hydraulic Rescue tools and its accessories shall comply with all the requirements stipulated under EN13204 or equivalent national/international standards.
- For the safety of the operators, victims and bystanders, the tools shall be powered by non-toxic, mineral based hydraulic oil. Any toxic fluid shall not be used.
- All pressure hoses shall have a safety factor of not less than 4 times the maximum working pressure. All hoses shall be provided with anti kink springs with exception of the non-kinking one hose system.
- All tools, hoses and pumps shall be equipped compact, non-drip, quick connect, couplings fast and easy connection. All female couplers shall be equipped with automatic self-locking to prevent accidental disconnection. The couplers would have 360 degrees free movement for easy uncoiling.

- Chain attachment with accessories shall be supplied with tool set.
- All hydraulic tools, pumps, hoses and accessories would be fully operational for longer periods at temperatures ranging from -5° to 50°C.
- The tools shall be supplied with proper operation/safety Instruction manuals, according to the CE, NFPA or equivalent standards. Operation and safety instructions shall be on the tools and shall be in pictogram style so that they can be understood by all operators easily.

The Tools should be as follows :

Hydraulic Power Pack (Petrol Engine Operated)

- The petrol driven hydraulic power pack shall be capable of powering tools independently and have connection possibility for additional tools. For this purpose the pump shall be provided with separate connecting valves, incorporating a manually operated pressure release valve. The valve shall have two positions, operation or neutral. Even when under full pressure the release valve should be easy to operate and to release the pressure. This arrangement is not applicable for one hose system. The hydraulic pump shall be driven by a 4-cycle, single cylinder, air cooled petrol engine. The power of the engine shall be sufficient to drive the hydraulic pump to give output sufficient to operate the two tools simultaneously without reduction in the speed.
- The petrol tank capacity shall be such that, it allows the engine to run for minimum one hour when the tools are in continuous operation.
- The starting system of the engine shall be hand recoil type and the starting rope shall wound automatically in, when released.
- The engine and the pump shall be mounted on suitable tubular carrying frame with integrated carrying handle.
- Suitable gauges shall be provided to find out the quantity of fuel and hydraulic oil in the power pack, and same shall be easily accessible. The provision shall also be made to refill the petrol and hydraulic oil through wide filling opening which shall be covered with threaded cap.
- All the hot parts of the power pack shall be properly shielded to avoid possibility of injury to the operator.
- Preferably there shall be provision of light near the valve block for ease in operation during the night time.
- All the controls on the power pack shall be easily accessible and properly labelled in English language.
- The weight of the power pack including hydraulic oil and fuel shall not be more than 25 kgs.
- The power pack shall be provided with 2 or 3 stage-axial/radial piston pump with a minimum output of 2500-3000 cc/min per valve. Each pump shall be protected with Internal safety valves for factory set at a suitable maximum pressure.
- The capacity of hydraulic oil tank shall be sufficient to operate two tools simultaneously.
- High quality 'Thermo Plastic' hose of 10 mtrs. in length for pressure and return line with quick connect couplings suitable to Connect power pack and tools shall be supplied with the pump. Total 2 nos. of hoses of 10 mtrs. each shall be supplied with the pump.
- The hoses shall have the pressure suitable for tools and the busting pressure of the hoses be 4 times the working pressure.
- The pump shall have capacity to allow the ram to reach full extension since Rams use more hydraulic fluid during operation then spreader-cutters.
- Other requirement shall be as given in the table below:

Engine	: Petrol engine
Capacity oil tank (effective)	: Approx. 4 liters
Pump	: 2 or 3 stage Axial/Radial piston pump
No. of tools to be operated simultaneously	: Two
No. of tools that can be connected	: Two

Cutter

- The cutter be double acting hydraulically operated device of light weight construction made of anti-corrosive high strength material. The details and design features of the cutter and its controls and material used for Construction of major components such as blades, cylinders and other components shall be given in the offer.
- The cutter shall be capable of cutting various sections such as solid ground bar, hollow round bar, flat section, square tube, rectangular tube etc. It should also be enough to cut the door pillars of new generation cars.

- In the tool with two hose system the tool shall be supplied with connection hoses of 0.3 meter to 0.5 meter long and complete with coupling, dust cap and protection springs over total length. The female coupler should be of automatic self-locking system type. In the case of one hose system, a male connector shall be fitted to the tool to connect the hose.
- The cutter blade shall be parrot type, the cutting blades shall be of shock resistant non corroding alloy steel, hardened and shall be exchangeable and regrindable. The material specification of the cutting blades and hardness shall be indicated in the offer.
- The cutter shall have following specifications:
 Blade opening—More than 180 mm
 Cutting force—Not less than 900 Kn.

The performance rating of the equipment shall conform to NFPA A8/B8/C7/D9/E9 of 6.13.1 of NFPA 1936 or equivalent standards.

Spreader

- The spreader shall be double acting hydraulically operated device of light weight construction made of anti corrosive high strength material capable of being lifted, and operated manually with ease. The details and design features of the spreader and its controls and material used for construction of its major components such as arms, cylinders and other components shall be given in the offer.
- The spreader would be capable of spreading; and pulling with the combination of chains. In the tool with two hose system the tool shall be supplied with connection hoses of 0.3 to 0.5 meter long and complete with coupling, dust cap and protection springs over total length. The female coupler should be of automatic self-locking system type. In the case of one hose system a male connector shall be fitted to the tool to connect the hose.
- The spreader shall be provided with spreading tips made of fully hardened, high tensile tool steel with proper serrations outside and inside for a perfect grip during spreading as well as squeezing operation. The tips shall be mounted on the spreader arms by means of a quick locking system. This quick lock system shall provide the

possibility to change the spreading tips for cutting tips or pulling adaptors with single hand without loosing any parts and without the need for extra tools.

Max. Spreading distance—Greater than or equal to 800 mm.

Min. Spreading force—Not less than 50 kn.

RAM

It should be compact, powerful and ensure high performances. The equipment should allow for faster, more efficient tool placement. The handle shall be deadman's type with accurate spring return to neutral position and the max. rotation to the right and to the left shall be less than 30°.

The RAM shall be hydraulically operated device of light weight, made of anti corrosive high strength material capable of being lifted and operated manually with ease. The details and design features of the RAM and its controls and material used for construction of its major components such as Plunger, cylinders and other components shall be given in the offer. The RAM would be capable of spreading and pulling with the combination of chains. In the tool with two hose system the tool shall be supplied with connection hoses of 0.3 or 0.5 mtr. long and complete with coupling, dust cap and protection springs over total length. The female coupler should be of automatic self-locking system type. In the case of one hose system a male connector shall be fitted to the tool to connect the hose.

The RAM shall be provided with suitable and adequate number of accessories for lifting and pulling purpose like chains, pulleys, extension pipes etc. The type and number of accessories that are to be provided with the ram should be listed and submitted along with the offer.

The RAM should comply with the following specifications:—

Stroke	:	Not less than 300 mm
Length closed	:	500 to 900 mm
Length open	:	750 to 1500 mm
Weight	:	Less than 15 Kg
Max. Operating Pressure	:	675 to 725 Bar

Manual Pump:—A suitable manual and portable pumping unit shall be provided with the tool set, which can be used to operate the above specified tools easily and effectively to effect rescue operations when the hydraulic pumping unit is out of service.

Criteria For Technical Evaluation of Hydraulic Rescue Tool

<i>Sl. No</i>	<i>Description</i>	<i>Marking criteria</i>	<i>Maximum Marks</i>	<i>Marks Awarded</i>	<i>Supporting Documents</i>
BIDDER EVALUATION					
1	Experience in Years in the supply of Hydraulic Rescue Tool	1 year 1 mark Max. 10 mark	5	..	Supporting Documentary proof in this regard
2	Total Number of Hydraulic Rescue Tool supplied to Government Departments/PSUs	20 Nos.-1 mark Max.— 8 Marks	8	..	Supporting Documentary proof in this regard
3	Years of Extended warranty offered	1 mark for each 1 year; Max.—5 Marks	5	..	Supporting Documentary proof in this regard
4	Number of Service centers in Kerala	½ mark each for each service centre	7	..	Supporting Documentary proof in this regard
5	Effectiveness of presentation	Contents—5 Clarification on Specs—5	10	..	Presentation and Documents shall be submitted on the prescribed date
OEM EVALUATION					
1	Experience of OEM in Hydraulic Rescue Tool Manufacturing	1 year ½ mark; Max. 5 mark	5	..	Supporting Documentary proof in this regard
2	Number of years of operation of OEM in India	1 year ½ mark; Max. 5 mark	5	..	Supporting Documentary proof in this regard
3	ISO or similar certification for OEM	..	5	..	Supporting Documentary proof in this regard
4	Total number of Hydraulic Rescue Tool supplied to different Government Departments/PSUs from OEM	10 Nos.-1 mark; Max. 5 marks	5	..	Supporting Documentary proof in this regard
5	Number of OEM repair centers Available in Kerala with Address	½ mark each for each service Station	5	..	Address with contact numbers
PRODUCT/PERFORMANCE EVALUATION					
1	Stroke length of Hydraulic RAM	1 mark each for each additional 25 mm after the minimum 300 mm	10	..	Supporting Documentary proof in this regard
2	Total weight of each tool (Shall be specified separately)	1 mark each for the reduction of each ½ kg weight from the maximum 15 kg.	10	..	Physical verification
3	Hose: Single connection hose having pressure line and return line within the same hose.	..	10	..	Supporting Documentary proof and Physical verification
Total Marks			90		

1. 50% Marks will be awarded to Technical Bid and the remaining will be taken in to account for financial bid.

Fire and Rescue Services Hqrs.,
Fire Force Junction,
Thiruvananthapuram.

(Sd.)
Director (Administration).

e-TENDER NOTICE (RE-TENDER)

No. J1-9151/2015.

11th January 2016.

e-Tenders in two cover system are invited from competent dealers for the supply of 1994 numbers Helmet with Visor as per the Technical specifications drawn by this department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders having enrollment in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS—E-TENDER\RE-TENDER No. 14/2015-16—` 99.7 Lakhs.

E.M.D.—1% of PAC in online payment.

Cost of e-Tender (online submission)—` 15,000 + VAT @ 5%.

Date and time of floating tender—11-1-2016, 5 p. m.

Date and time of pre bid meeting—16-1-2016, 11 a. m.

Last date and time of receipt of e-tender—24-1-2016, 5 p. m.

Date and time of Technical bid opening—27-1-2016, 11 a. m.

Date of Demo/Presentation by tenderers—27-1-2016, 11 a. m.

Date and time of Financial bid opening—30-1-2016, 11 a. m.

Date upto which the rates are to remain firm for acceptance—31-3-2016.

Security Deposit—5% of total contract amount inclusive of E.M.D. to be furnished as online payment or as bank guarantee of a Scheduled Bank.

Period of supply—Within 30 days of receipt of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in>. and then select tender and initiate payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options-State Bank of Travancore SBT Net banking payment, payment through NEFT from other Banks to the payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrollment bidders can visit the website <https://etenders.kerala.gov.in>

Tenders will be opened in the online presence of such tenderers or their authorized representatives who have logged in at the prescribed time of opening of technical & financial bids. If the date fixed for opening happens to be a holiday/due to net failure the tenders will be opened in the next working day, at the same time.

The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed with necessary documents and presentations on all the technical aspects of the equipment and accessories, as they have to give presentations on the next day of tender opening i.e. on 28-1-2016.

The price of the e-tender form shall be received only through online payment SBT/SBT NEFT.

The cost should be quoted in Indian Currency only.

The tender has two covers

- Technical cover
- Financial cover

The first cover i.e. the technical cover shall be uploaded with the following document:

1. Scanned copy of technical specification compliance statement of the product intended to supply.

The Bidder should prepare the specification compliance statement in the following performa and upload. The specifications Compliance Statement should contain all the details in the Departmental technical specifications and the compliance to the same to be properly marked and deviation, if any, shall be marked in the compliance statement.

**Specification Compliance Statement for
Helmet with Visor**

<i>Sl. No.</i>	<i>Detail of Departmental Technical Specification</i>	<i>Detail of the product offered</i>	<i>Deviation from Departmental Technical Specification, if any</i>

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 100.
3. Brochure of the product intended to supply.
4. Work experience certificate or other relevant details.
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 100 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partner/s or any of his directors in connection with fabrication/supply of similar product made earlier to this Department.

I, (Name, Address, Firm) do hereby declare that no Vigilance Case have been charge sheeted and pending trial at Court against me, any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.

6. Scanned copies of the supporting documents that are to be considered for weightage during evaluation.

Pre bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending an e- mail to hq.frs@kerala.gov.in and by contacting Station Officer (Motor Transport), Fire and Rescue Services Head Quarters in Phone number 09497920291.

Tender opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the fabrication and accessories for the full understanding, of the Head Office Purchase Committee (Technical), on the date specified. The presentation will also be counted for evaluation.

(b) There will not be any further communications about the opening of the technical and financial bids separately. Soon on opening, the technical bid of e-tenders, the committee constituted to evaluate the technical aspects of the vehicle fabrication will meet and scrutinize the technical specification of fabrication submitted with the e-tender.

(c) Evaluation of the tender will be on weightage basis and 60% weightage will be given to technical evaluation and 40% weightage will be given to the financial evaluation.

(d) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for weightage and subsequent financial evaluation.

(e) Those tenders which comply the departmental Technical Specifications will be given weightage marks based on the factors/criteria specified. Only those firms which score minimum 50% weightage marks will be considered for financial evaluation, if three or more firms are not getting more than 50% weightage score, the three firms with the maximum weightage score will be considered for financial evaluation. The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire & Rescue Services Department alone will be considered.

(f) On finalization of technical evaluation, the second cover ie. the financial bid of the concerned competent firm will be opened by the Head Office Committee (Finance) for consideration.

(g) Experience of bidder in years in the supply of Helmet, Total Number of Helmet supplied by the bidder to Fire Service Departments. Years of extended warranty offered, totality and effectiveness of the presentation by the bidder, Experience of OEM in Fire Helmet Manufacturing, Number of years of operation of OEM in India, ISO or similar certification for OEM, Total number of fire Helmet supplied to different Fire Services from OEM. Clarity and area of vision by the visor and total weight of the helmet will be considered for weightage on technical evaluation. The bidder should upload the supporting documents for the above along with the Technical cover.

(h) The originals of Technical specification compliance statement of the product, Agreement in stamp paper worth ` 100, the declaration on Kerala Stamp Paper worth ` 100 and the item intended to supply shall be produced before the undersigned soon after the Financial Bid opening.

(k) The Head Office Tender Evaluation Committee, Kerala Fire & Rescue Services, Thiruvananthapuram, will scrutinize all the tender Documents and the procedures that followed by Head Office Purchase Committee (Technical) and Head Office Purchase Committee (Financial), and prepare a comprehensive report and will give recommendations regarding the Award of Contract to the Director General, who may get the approval of DPC. The decision of the Director General will be final for the award of contract.

(l) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason, at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender, he/she can send email to da.frs @ kerala.gov.in or fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchase can be obtained from the e-tender website <https://etenderskerala.gov.in>.

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Tender Conditions

1. Whether samples are essential : Pamphlets, Photograph, Drawings CD etc., should be forwarded along with the Tender.
2. Period with in which goods should be delivered : Within 30 days from receipt of supply order.
3. Rates should be quoted including all taxes and transportation charge and rate of AMC. : f.o.r., Thiruvananthapuram.
4. Payment : 100% payment against delivery at Thiruvananthapuram and acceptance by an acceptance committee.
5. Other Special Conditions :
 1. A Warranty of 36 months from the delivery of the item.
 2. EMD-1% of PAC in online payment.
 3. Security deposit 5 % of total contract amount inclusive of EMD to be furnished as mentioned in the Notice inviting e-Tender, which will be released after the expiry of the warrantee period on production of sufficient security for the AMC period.
 4. Any firm whose proprietor, Partner or Director against whom any Vigilance Case has been charge sheeted and pending trial at Court in connection with fabrication/supply of similar product made earlier to this Department/Kerala Government are not eligible to participate and shall be barred from participating in this Tender.
 5. Anybody attempting to offer bribe or otherwise influence in any manner the officials of the Kerala Fire and Rescue Services or its supervisory levels in the Government will be disqualified.
 6. Full stock/spares and technicians shall be available in India and service should be available for any repair or maintenance within 48 hours of a call from this department.
 7. Details of extended warranty, if any, shall be separately mentioned.
 8. The bidder shall submit an undertaking from OEM that the OEM shall support the equipment supplied by the bidder for a period of minimum 5 years.
 9. Bidder shall submit a manufacturer authorisation Certificate to authorise the supplier to participate in the bid (Addressed to the Director General, Kerala Fire and Rescue Services).

Criteria for Technical Evaluation of Helmet with Visor

<i>Sl. No</i>	<i>Description</i>	<i>Marking criteria</i>	<i>Maximum Marks</i>	<i>Marks Awarded</i>	<i>Supporting Documents</i>
BIDDER EVALUATION					
1	Experience in Years in the supply of Helmet to Fire Services	1 year 1 mark; Max.—10 marks	5	..	Supporting documentary proof in this regard
2	Total Number of Helmets supplied to approved Fire Service Departments	25 Nos.-1 mark Max.—10 Marks	10	..	Supporting documentary proof in this regard
3	Years of Extended warranty offered	1 mark for each 1 year; Max.—5 marks	5	..	Supporting documentary proof in this regard
4	Effectiveness of presentation	Contents—5 Clarification on specs—5	10	..	Presentation and documents shall be submitted on the prescribed date
OEM EVALUATION					
1	Experience of OEM in Fire Fighting Helmet Manufacturing	1 year—½ mark; Max.—5 marks	10	..	Supporting documentary proof in this regard
2	Number of years of operation of OEM in India	1 year—½ mark; Max.—5 marks	5	..	Supporting documentary proof in this regard
3	ISO or similar certification for OEM	..	10	..	Supporting documentary proof in this regard
4	Total number of Helmets supplied to different Fire Services from OEM	50 Nos.—1 mark; Max.—10 marks	10	..	Supporting documentary proof in this regard
PRODUCT/PERFORMANCE EVALUATION					
1	Clarity and area of vision by the visor	..	10	..	Supporting documentary proof in this regard
2	Total Weight of the Helmet (Shall be specified separately)	1 mark each will be added for the reduction of each 50 grams from the maximum	10	..	Physical Verification
Total Marks			85		

1. 50% weightage will be awarded to Technical Bid and the remaining will be taken into account for financial bid.

Specification for Fire Fighter Helmet with Visor

1. The colour of the helmet shall be bright orange/red in colour.
2. The helmet shall be made of high temperature resistant material.
3. The helmet should be made of high quality fibre glass and should withstand an impact of 10 Kg weight from 10 meters height.
4. The helmet should be covered with NOMEX material cover as a removable cover.
5. The weight of the helmet excluding the optimal accessories shall not be more than 1.5 Kg
6. The helmet shall be suitable for all head sizes ranging from 50 cm to 62 cm.
7. The head size shall be adjusted by means of a size adjustment mechanism.
8. For adjusting the helmet on the head there shall be six point nylon straps and protective pads inside the helmet.
9. Within the helmet there shall be impact liners.
10. The interior fillings shall be made of skinfriendly washable materials and shall be easily removable using standard tools.

11. The chin and neck strap shall be adjustable, properly padded and shall be provided with quick release buckles.
12. The Helmet should have neck protection accessories.
13. If the neck protection accessories are separate, holder for attaching it to the helmet shall be provided.
14. Neck protection accessories shall be made of fire resistant NOMEX material.
15. The helmet shall be provided with protection visor of minimum of 6 inches from top to bottom, for protecting face and eyes against high temperature—high heat particles and liquid chemicals.
16. The visor shall be of retractable type and its movement shall be made possible by easy means.
17. The visor shall be made of scratch proof material and optically corrected for clear view without any distortion of visibility.
18. The emblem of The Kerala Fire & Rescue Services shall be embossed on the front of the helmet.
19. Retro-reflecting strips made of flame proof material shall be affixed over the helmet.
20. Sample shall be provided as and when required by the Department.
21. The helmet unit shall be CE/IS/equivalent approved/Certified.

Fire and Rescue Services Headquarters,
Fire Force Junction,
Thiruvananthapuram.

(Sd.)
Director (Administration).

e-TENDER NOTICE (Re-TENDER)

No. J1-9152/2015.

11th January 2016.

e-Tenders in two cover system are invited from competent dealers for the supply of 188 Nos. Breathing Apparatus Set (B. A. Set) as per the Technical Specifications drawn by this Department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders having enrollment in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts.

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS-E-Tender/Re-Tender No. 13/2015-16—` 188 Lakhs.

EMD—1% of PAC in online payment.

Date of floating tender—12-1-2016, 5 p. m.

Date of pre bid meeting—18-1-2016, 11 a. m.

Last date and time of receipt of e-tender—28-1-2016, 5 p. m.

Date of Technical bid opening—1-2-2016, 11 a. m.

Date of Demo/Presentation by tenderers—2-2-2016, 12 Noon.

Date of Financial bid opening—3-2-2016, 11 a. m.

Cost of e-tender (Online submission)—` 25,000 + VAT @ 5%.

Date upto which the rates are to remain firm for acceptance—30-9-2016.

Security Deposit—5% of total contract amount inclusive of EMD to be furnished as online payment or as bank guarantee of a scheduled bank.

Period of supply—Within 30 days of receipt of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in> and then select tender and initiate payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options—State bank of Travancore SBT Net banking payment, payment through NEFT from other banks to the payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrolment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened in online presence of such tenderers or their authorized representatives who have logged in at the prescribed time of opening of technical & financial bids. If the date fixed for opening happens to be a holiday/due to net failure the tenders will be opened in the next working day at the same time.

The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed with necessary documents and presentations on all the technical aspects of the fabrication and accessories, as they have to give presentations on the next day of tender opening i. e., on 2-2-2016.

The price of the e-tender form shall be received only through online payment-SBT/SBT NEFT.

The cost should be quoted in Indian currency only.

The tender has two covers

- Technical cover
- Financial cover

The first cover i.e., the technical cover shall be uploaded with the following document.

1. Scanned copy of Technical Specification compliance statement of the product intended to supply.

The Bidder should prepare the specification compliance statement in the following performa and upload. The Specification Compliance Statement should contain all the details in the Departmental technical specifications and the compliance to the same to be properly marked and deviation, if any, shall be marked in the compliance statement.

Specification Compliance Statement for Breathing Apparatus Set

<i>Sl. No.</i>	<i>Detail of Departmental Technical Specification</i>	<i>Detail of the product offered</i>	<i>Deviation from Departmental Technical Specification, if any</i>

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 100.

3. Brochure of the product intended to supply.

4. Work experience certificate or other relevant details.

5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 100 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partner/s or any of his directors in connection with fabrication/supply of similar product made earlier to this Department.

I, (Name, Address, firm), do hereby declare that no Vigilance case have been charge sheeted and pending trial at Court against me, any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.

6. Scanned copies of the supporting documents that are to be considered for weightage during evaluation.

Pre Bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending an e-mail to hqfrs@kerala.gov.in and by contacting Station Officer (Motor Transport), Fire and Rescue Services Headquarters in phone No. 09497920291.

Tender opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the fabrication and accessories for the full understanding of the Head Office Purchase Committee (Technical), on the date specified. The presentation will also be counted for evaluation.

(b) There will not be any further communications about the opening of the technical and financial bids separately. Soon on opening the technical bid of e-tenders, the committee constituted to evaluate the technical aspects of the vehicle fabrication will meet and scrutinize the technical specification of fabrication submitted with the e-tender.

(c) Evaluation of the Tender will be on weightage basis and 60% weightage will be given to technical Evaluation and 40% weightage will be given to the financial evaluation.

(d) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for weightage and subsequent financial evaluation.

(e) Those tenders which comply the Departmental Technical Specifications will be given weightage marks based on the factors/criteria specified. Only those firms which score minimum 50% weightage marks will be considered for financial evaluation. If three or more firms are not getting more than 50% weightage score, the three forms with the maximum weightage score will be considered for financial evaluation. The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire and Rescue Services Department alone will be considered.

(f) On finalization of technical evaluation, the second cover i. e. the financial bid of the concerned competent firm will be opened by the Head Office Committee (Finance) for consideration.

(g) Experience of bidder in years in the Supply of BA Set, Total Number of BA Set supplied by the bidder to Government Departments/PSUs, years of Extended warranty offered, Number of Service centers in Kerala, totality and effectiveness of the presentation by the bidder, Experience of OEM in BA set Manufacturing, Number of years of operation of OEM in India, ISO or similar certification for OEM, Total number of BA sets supplied to different Government Departments/PSUs from OEM, Number of OEM repair centers available in Kerala with Address, BA Cylinder Capacity, Total Weight of the B A Set will be considered for weightage on technical evaluation. The bidder should upload the supporting documents for the above along with the technical cover.

(h) The originals of Technical Specification compliance statement of the product, agreement in stamp paper worth ` 100, the declaration on Kerala Stamp Paper worth ` 100 and the item intended to supply shall be produced before the undersigned soon after the Financial Bid opening.

(k) The Head Office Tender Evaluation Committee, Kerala Fire & Rescue Services, Thiruvananthapuram will scrutinize all the tender Documents and the procedures that followed by Head Office Purchase Committee (Technical) and Head Office Purchase Committee (Financial) and prepare a comprehensive report and will give recommendations regarding the Award of Contract to the Director General, who may get the approval of DPC. The decision of the Director General will be final for the award of the contract.

(l) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender he/she can send e-mail to the da.frs@kerala.gov.in or Fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchased can be obtained from the e-tender website <https://etenders.kerala.gov.in>.

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Tender Conditions

1. Whether samples are essential : Pamphlets, Photograph, Drawings CD etc. should be forwarded along with the tender.
2. Period with in which goods should be delivered : Within 30 days from receipt of supply order.
3. Rates should be quoted including all taxes and transportation charge and rate of AMC : f.o.r., Thiruvananthapuram.
4. Payment : 100% Payment against delivery at Thiruvananthapuram and acceptance by an acceptance committee.
5. Other Special Conditions :
 - (1) A Warranty of 36 months from the delivery of the item.
 - (2) EMD 1% of PAC in online payment.
 - (3) Security Deposit 5% of total contract amount inclusive of EMD to be furnished as mentioned in the notice inviting e-Tender, which will be released after the expiry of the warrantee period on production of sufficient security for the AMC period.
 - (4) Any firm whose proprietor, Partner or Director against whom any Vigilance Case has been charge sheeted and pending trial at Court in connection with fabrication/supply of similar product made earlier to this Department/ Kerala Government are not eligible to participate and shall be barred from participating in this tender.
 - (5) Any body attempting to offer bribe or otherwise influence in any manner the officials of the Kerala Fire and Rescue Services or its supervisory levels in the Government will be disqualified.
 - (6) A 5 years AMC shall be desirably provided by the qualified firm after the warranty period, AMC amount shall also be quoted in the bid separately.
 - (7) Training shall be given by the Bidder to the selected staff of this Department as and when required within one year from the date of delivery at their own cost.
 - (8) Full stock/spares and technicians shall be available in India and service should be available for any repair or maintenance within 48 hours of a call from this Department.
 - (9) Details of extended warranty, if any, shall be separately mentioned and will be preferred.
 - (10) The Bidder shall submit an undertaking from OEM that the OEM shall support the equipment supplied by the bidder for a period of minimum 5 years.
 - (11) Bidder shall submit a manufacturer authorisation Certificate to authorise the supplier to participate in the bid (Addressed to the Director General, Kerala Fire and Rescue Services).

Specification for Self Contained Breathing Apparatus

1. General Requirements

- The set shall be self-contained open circuit type compressed air breathing apparatus set fully confirming to EN-137 CLASS II: 2006 standards.
- The BA set shall contained air cylinder, back plate, face mask lung demand regulator, pressure reducing valve, hose, warning whistle unit.
- The compressed air breathing apparatus shall be so designed that it should operate in any harsh environment and must be capable to withstand the rough use of fire brigade. Also the wearer could breathe comfortably, without any risk of poisonous of gas entering the breathing circuit.
- The maximum duration of the use of set shall not be less than 45 minutes.
- The main valve of the air cylinder shall be arranged that it can be operated in the worn position by the wearer.

2. Air Cylinder

- The cylinder of the set shall be approved PESO India/CCOE approved and certificate to the effect shall be submitted along with the tender.
- The air cylinder shall have a minimum water capacity of 6 to 8 liters and free air capacity of minimum 1800 liters when filled at a pressure of 300 bar.
- The working pressure of the cylinder shall not be less than 300 Bar and the test pressure shall be 1.5 times the working pressure.
- The weight of cylinder shall not be more than 5 Kg.
- The cylinder of the set should be made of light weight composite Cylinders with aluminium liners wrapped in carbon fiber with a glass over wrap and surface should be resin finished.
- The cylinder should be marked with photo luminescent strip for following the BA set wearer.

3. Cylinder Valve

- The cylinder shall be supplied with valve made of nickel plated brass and shall comply with EN 144 II. A test certificate from an authorized test lab should be produced.
- The design of the valve shall be such that it shall be protected against blockage and shall avoid transmission of particulate matter that may be contained in the compressed air.
- The design of the valve should be such that it should be located in such a way that it cannot be closed advertently during the use.

4. Full Face Mask

- The face mask shall have double reflex sealing, speech diaphragm, inner mask, neck strap, five finger head band with push-in type connection lung demand valve.
- The side sealing of the face mask shall be gas tight and shall be possible to fit the face mask on almost all face counters.
- The visor fitted on the face mask shall be made from scratch proof poly carbonate with maximum view to the wearer and shall have demisting characteristics.
- It should have the approval of the latest EN136 Clause 3 and should have EC mark of conformity.
- The face mask shall be made from silicone rubber.

5. Pressure Reducer

- The set shall be supplied with a small, light sturdy and encapsulated, high air delivery Pressure reducer valve which directly be fitted to the cylinder valve assembly.
- The pressure reduce valve shall reduce the pressure from 300 Bar to 8-10 Bar.
- The pressure reducer valve shall have a high pressure outlet and low Pressure outlet with warning whistle.
- The high pressure outlet shall be connected to pressure gauge and warning unit and the low pressure outlet shall be connected to Lung Demand Valve.
- The pressure reducer valve shall have a provision of safety pressure Relief valve.
- The pressure reducer valve shall comply with the entire safety requirement stipulated under EN-137. The pressure reducer should provide up to 1000 LPM flow of air.
- High and low pressure hose shall be made from the neoprene and natural rubber and shall withstand the respective pressure.

6. Lung Demand Valve

- The set shall be provided with plug-in quick removable type lung demand valve with a rubber hose having a quick connect coupling connected to the low pressure side of pressure reducing valve. The LDV should be connected from the front side of the mask. The LDV should be a balanced piston design offering stability, quick operation & first breath activated with a centrally located switch off button & tough wrap around silicone cover incorporated in an elegant streamlined shape for easy handling-even when wearing gloves.
- Lung demand valve retainer should be provided on waist-belt to plug in the demand valve when not being used to prevent dust & other particles entering the valve.
- Flame Retardant To EN (Self Extinguishing 950 Degree Centigrade 10 Second) Intrinsically safe certified.
- The warning unit should have penumatic whistle of 90 disables sound intensity.
- The warning unit should give warning whistle audible 10 minutes before the nominal duration of the set or the pressure in the cylinder falls to + 55 bars.
- The cover of the lung demand valve shall be made from silicon.

7. Back Plate

- The back plate of BA set shall be glass fiber reinforce polyamide to withstand high heat and flames and automatically shaped to give a comfortable distribution of masses & remain steady on the user's back even when crouching or crawling. It should have soft padded harness made of flame retardant fabric, water repellent materials, Extra secure fasteners are made for quick on and off. The back plate should be approved to EN 137 class II and CE marked and designed to accept cylinder having diameter from 110 mm to 170 mm. Strong Carrying handle should be provided.
- Cylinder strap should be made of heat resistant material and should be capable of accommodating cylinders of different diameters. The strap should have quick release coupling for changing cylinder.

8. Warning Whistle

- Low Pressure Warning Whistle: BA set must be provided with low pressure warning whistle, which shall operate automatically, when cylinder pressure drops to a predetermined pressure (i.e. air in the cylinder is left for 10 minutes at the rate of 40 liters/minute) for safety margins. It should not be externally adjustable, and the consumption air by warning whistle should not exceed 5 liters/minute. It should be positioned at left shoulder for easy hearing and should not produce sound less than 90 db.

9. Harness

- The padded harness should be fire resistance, should not deteriorate or shrink in contact with water/moisture/ water miscible substances or on contact with oil grease etc. and also provide resistance to chemicals, it neither should not built up static electricity nor should retain static charge. It should be fully adjustable to be worn by a fireman having variation in height and waist size. The design should be such that wearer could don the apparatus quickly without the aid of another including the chest and hip strap, if provided should be easily distinguishable by touch. The method of fastening should be of similar and also the adjustment. The buckles provided should be quick release type. The light weight webbing harness ensures optimal load distribution, balance, comfort and reduced wearer fatigue.

10. Pressure Gauge

- Water proof pressure gauge having luminous dial reading upto 400 bars should be positioned in such a way that it can be read by BA wearer conveniently. It should be mounted in stainless steel case having corrosion resistance and protected by rubber cover. Gauge dial should be photo luminescent and shatter proof polycarbonate glass. It should be mounted on left shoulder. The dial must be marked red to indicate low pressure in the Cylinder, in addition to warning whistle set to operate at a pressure when it is left with a 10 minutes air in the cylinder. It should be protected by safety device including restriction valve that will limit the loss of air in event of damage of pressure gauge to 10 liters/minute maximum.

11. Carrying Case

- A strong carrying case to store complete assembled BA set along with BA cylinder should be provided. It should be designed in such a way that all parts of the assembled set could be placed in its proper position.
- A black colour plastic bag to avoid deterioration due to the effect of ultra violet light and also to prevent mask being contaminated by oil, fuel, dust etc. It will be used to cover the face mask and then store it in the carrying case.

12. Instruction Book

- An instruction book in English, for the guidance of the user including both operating and normal maintenance procedure must be supplied. The book must include an itemized and illustrated spare parts list, giving reference numbers to all parts.

13. Spares

- Supplier shall ensure availability and supply of fast moving spares at short notice for at least five years. The supplier shall provide a price list of such spares along with commercial bid.

Criteria for Technical Evaluation of Breathing Apparatus Set

<i>Sl. No</i>	<i>Description</i>	<i>Marking criteria</i>	<i>Maximum Marks</i>	<i>Marks Awarded</i>	<i>Supporting Documents</i>
(1)	(2)	(3)	(4)	(5)	(6)
BIDDER EVALUATION					
1	Experience in Years in the supply of B. A. Set	1 year 1 mark Max—10 mark	5	..	Supporting Documentary proof in this regard
2	Total Number of B. A. Set supplied to Government Departments/PSUs	20 Nos. 1 mark Max — 10 Marks	8	..	Supporting Documentary proof in this regard
3	Years of Extended warranty offered	1 mark for each 1 year Max —5 Marks	5	..	Supporting Documentary proof in this regard
4	Number of Service centers in Kerala	½ mark each for each service centre	7	..	Supporting Documentary proof in this regard
5	Effectiveness of presentation	Contents—5 Clarifications—5	10	..	Presentation and Documents shall be submitted on the prescribed date
OEM EVALUATION					
1	Experience of OEM in B. A. Set Manufacturing	1 year 1 mark; Max. 10 mark	10	..	Supporting Documentary proof in this regard
2	Number of years of operation of OEM in India	1 year ½ mark; Max. 5 mark	5	..	Supporting Documentary proof in this regard
3	ISO or similar certification for OEM	..	10	..	Supporting Documentary proof in this regard
4	Total number of B. A. Sets supplied to different Government Departments/PSUs from OEM	25 Nos.-1 mark; Max. 10 marks	5	..	Supporting Documentary proof in this regard
5	Number of OEM repair centers available in Kerala with Address	½ mark each for each Service Station	5	..	Address with contact numbers
PRODUCT/PERFORMANCE EVALUATION					
1	Cylinder Capacity	1800 Lit—1 mark; for every additional 50 lit. 1 mark each will be added	10	..	Supporting Documentary proof in this regard
2	Total weight of the B. A. Set (Shall be specified separately)	15 kg: 1 marks Deduction of every 0.5 kg, 1 mark each will be added	10	..	Physical Verification
Total Marks			90		

1. 60% Marks will be awarded to Technical Bid and the remaining will be taken into account for financial bid.

Fire and Rescue Services Headquarters,
Fire Force Junction,
Thiruvananthapuram.

(Sd.)
Director (Administration).

Forest Department

ഇ-ദർഘാസ് പരസ്യം

നമ്പർ ആർ.7856/2015.

2016 ജനുവരി 1.

കേരള ഗവർണ്ണർക്കുവേണ്ടി വനം-വന്യജീവി വകുപ്പിലെ പെരിയാർ ടൈഗർ കൺസർവേഷൻ ഫൗണ്ടേഷൻ, തേക്കടിയിൽ താഴെ ചേർത്തിരിക്കുന്ന പ്രവൃത്തികൾക്ക് പരിചയസമ്പന്നരായ അംഗീകൃത നിർമ്മാതാക്കളിൽ/വിതരണക്കാരിൽ നിന്നും സെക്രട്ടറി, പെരിയാർ ടൈഗർ കൺസർവേഷൻ ഫൗണ്ടേഷൻ, തേക്കടി ഓൺലൈൻ ദർഘാസ് ക്ഷണിക്കുന്നു. ദർഘാസ് പ്രമാണങ്ങളും ദർഘാസ് ഷെഡ്യൂളുകളും www.etenders.kerala.gov.in എന്ന വെബ്സൈറ്റിൽ ലഭ്യമാണ്. ദർഘാസിനോടൊപ്പം സമർപ്പിക്കുന്നതിനുള്ള നിരതദ്രവ്യം, ദർഘാസ് പ്രമാണവില എന്നിവ സ്റ്റേറ്റ് ബാങ്ക് ഓഫ് ട്രാവൻകൂറിന്റെ ഇന്റർനെറ്റ് ഓൺലൈൻ ബാങ്കിംഗ് വഴിയോ മറ്റ് ബാങ്കുകളിൽ NEFT വഴിയോ ഓൺലൈനിൽ ടെണ്ടറിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

എല്ലാ ടെണ്ടർ പ്രമാണങ്ങളും www.etenders.kerala.gov.in എന്ന വെബ്സൈറ്റിൽ കാണിച്ചിരിക്കുന്ന ഓൺലൈൻ കവറുകളിൽ ഓൺലൈനായി മാത്രം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസുകൾ www.etenders.kerala.gov.in എന്ന വെബ്സൈറ്റിലൂടെ ഓൺലൈനായി മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. നേരിട്ടോ തപാലിലോ ടെണ്ടർ ഓഫീസിൽ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നമ്പർ—11/2015-16.

അടങ്കൽ തുക—` 50 ലക്ഷം.

നിരതദ്രവ്യം—` 1.25 ലക്ഷം.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 5,000 + വാറ്റ് @ 5 %.

ദർഘാസ് പ്രമാണങ്ങൾ www.etenders.kerala.gov.in എന്ന വെബ്സൈറ്റിൽ നിന്നും download ചെയ്യാവുന്നതാണ്.

കരാറുകാരുടെ ക്ലാസ്സ്—സർവ്വിലൈൻസ് എക്യുപ്മെന്റ്സിന്റെ നിർമ്മാതാക്കൾ/വിതരണക്കാർ.

ഡിവിഷൻ—പെരിയാർ ടൈഗർ കൺസർവേഷൻ ഫൗണ്ടേഷൻ, തേക്കടി (പെരിയാർ ടൈഗർ റിസർവ്വ്, തേക്കടി).

പ്രവൃത്തി ചെയ്തുതീർക്കേണ്ട കാലാവധി—60 ദിവസം.

ദർഘാസ് പ്രമാണം വെബ്സൈറ്റിൽ ലഭ്യമാകുന്ന തീയതിയും സമയവും—27-1-2016 രാവിലെ 10 മണി മുതൽ.

ദർഘാസ് പരസ്യം ഗസറ്റിൽ ലഭ്യമാകുന്ന തീയതി—26-1-2016.

ദർഘാസ് വെബ്സൈറ്റിൽ സമർപ്പിക്കാവുന്ന അവസാന തീയതിയും സമയവും—5-2-2016 വൈകിട്ട് 5 മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—8-2-2016 ഉച്ചയ്ക്ക് 12.30 മണി.

ഓൺലൈൻ ടെണ്ടറിനോടൊപ്പം ` 200-ന്റെ കേരള മുദ്ര പേപ്പറിൽ തയ്യാറാക്കി ഒപ്പിട്ട പ്രിലിമിനറി എഗ്രിമെന്റ്, സ്കാൻ ചെയ്ത മറ്റ് രേഖകളുടെ പകർപ്പ്, PWD സുപ്രണ്ടിംഗ് എഞ്ചിനീയർ/എക്സിക്യൂട്ടീവ് എഞ്ചിനീയർ സാക്ഷ്യപ്പെടുത്തിയ രജിസ്ട്രേഷൻ സർട്ടിഫിക്കറ്റ്, ബിൽ കപ്പാസിറ്റി സർട്ടിഫിക്കറ്റ്, EMD ഒഴിവാക്കുന്നതിനുള്ള സർട്ടിഫിക്കറ്റ് (ഉണ്ടെങ്കിൽ) എന്നിവ ഓൺലൈനായി സമർപ്പിക്കേണ്ടതാണ്. ഇപ്രകാരം സമർപ്പിക്കാത്തതും അവയുടെ ഒറിജിനൽ ടെണ്ടർ തുറക്കുന്നതിനുമുമ്പ് സമർപ്പിക്കാത്തതുമായ ദർഘാസുകൾ നിരസിക്കപ്പെടുന്നതാണ്. ഇ-ടെണ്ടറുമായി ബന്ധപ്പെട്ട മറ്റു വിവരങ്ങൾ NIC-യിൽ നിന്നോ www.etenders.kerala.gov.in എന്ന വെബ്സൈറ്റിൽ പറഞ്ഞിരിക്കുന്ന etenders helpdesk-ൽ നിന്നോ ഈ ഓഫീസിൽ നിന്നോ ഓഫീസ് സമയത്ത് അറിയാവുന്നതാണ്. ഇ-പേയ്മെന്റിന് ആവശ്യമായ വിവരങ്ങൾ (കരാറുകാരൻ ഇടപാടു നടത്തുന്ന കോർ ബാങ്കിംഗ് സൗകര്യമുള്ള ബാങ്ക് അക്കൗണ്ടിന്റെ വിശദവിവരങ്ങളും ഇ-മെയിൽ അഡ്രസ്സും) ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ഈ വിവരങ്ങൾ ഉൾപ്പെടുത്താത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്. ടെക്നിക്കൽ ബിഡും ഫിനാൻഷ്യൽ ബിഡും അതിനായി പറഞ്ഞിരിക്കുന്ന അതാതു കവറുകളിൽ മാത്രം സമർപ്പിക്കേണ്ടതാണ്. കരാറുകാർ വിവരങ്ങൾ അപ്ലോഡ് ചെയ്യുന്നതിലും മറ്റും ഉണ്ടാകുന്ന അസൗകര്യങ്ങൾക്കും നഷ്ടത്തിനും ഡിപ്പാർട്ടുമെന്റ് ഉത്തരവാദിയായിരിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിച്ചിട്ടുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ സെക്രട്ടറി, പെരിയാർ ടൈഗർ കൺസർവേഷൻ ഫൗണ്ടേഷൻ ദർഘാസ് തുറക്കുന്നതാണ്. ദർഘാസ് തുറക്കുന്ന ദിവസം അവധിയായി സർക്കാർ പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അതിനു തൊട്ടു പിന്നീടുള്ള പ്രവൃത്തി ദിവസം ടി സമയത്ത് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും.

ദർഘാസ് സംബന്ധമായി PWD-യിൽ നിലവിലുള്ള എല്ലാ നിബന്ധനകളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

No. R-7856/2015.

1st January 2016.

The Secretary, Periyar Tiger Conservation Foundation, Thekkady and Deputy Director (PT), Periyar East Division, Thekkady for and on behalf of the Governor of Kerala invites online e- Tenders from manufacturers and supplying firms for the supply and installation of following equipments. Tender documents and tender schedules may be downloaded free of cost from the e-GP website www.etenders.kerala.gov.in. All bid/tender documents are to be submitted online only and in the designation online cover (s)/envelope(s) on the www.etenders.kerala.gov.in website. Bids shall be accepted only through online mode www.etenders.kerala.gov.in website and tenders submitted manually/through post will not be entertained. Late online bids will not be accepted.

Tender No.—11/2015-16.

PAC—` 50 Lakhs.

EMD—` 1.25 Lakhs.

Cost of tender form + VAT (@5%/the rate applicable at the time)—` 5,000 + VAT.

Tender documents can be downloaded from the website www.etenders.kerala.gov.in

Classification of bidder—Manufacturers/Suppliers of Surveillance equipment (e-Eye).

Name of Division—Periyar Tiger Conservation Foundation, Thekkady (Periyar East Division, Thekkady).

Period of completion of work—60 days.

Date from which the tender will be available in website—27-1-2016, 10 a. m.

Date on which the tender will appear in Gazette—26-1-2016.

Last date and time of receipt of tender—5-2-2016, 5 p. m.

Date and time of opening of tender—8-2-2016, 12.30 p. m.

1. Bidders shall remit the tender document fee and the Earnest Money Deposit using online payment option of e-procurement system only and submitted through the internet online banking of State Bank of Travancore or through NEFT for other banks. Bidders opting for NEFT facility of online payment are advised to exercise this option at least 72 hours before the closing date of bid to ensure that payment towards tender document fees and EMD are credited and a confirmation is reflected in the e-procurement system. The online NEFT remittance form provided by e-procurement system for making a NEFT transaction is not a payment confirmation. Kerala Forest Department/NIC/SBT shall not be any kind of delay in payment status confirmation.
2. Bidders are requested to submit scanned copy of the following documents—Registration certificate duly attested by the Superintending Engineer/ Executive Engineer, PWD, Kerala, EMD exemption certificate (if any), preliminary agreement executed in Kerala Stamp Paper worth ` 200, duly filled up proforma for availing e-payment by Online. Subsequently the hard copy of attested copy of Registration certificate, EMD exemption certificate (if any), preliminary agreement in original and tender document would be submitted offline in a sealed cover superscribing the name of work and tender number to the office of the Secretary, Periyar Tiger Conservation Foundation, Thekkady and Deputy Director (PT), Periyar East Division, Thekkady through speed post/ registered post as prescribed in the time schedule, failing which such tenders will be rejected.
3. The bidding authority deserves the right to modify/cancel, any/all bids without assigning any reason. The Forest Department will not be responsible for any error like missing of scheduled data while downloading by the bidder and non receipt of documents.
4. Any further clarifications on this tender can be obtained from NIC/the e-tender Helpdesk number available in the www.etenders.kerala.gov.in website and from this office during the office hours. The details regarding e-payment (Bidder's bank account number where he/she is having core banking facility and email ID) should be submitted along with the tender. Tenders without these details will not be accepted. Technical bid and financial bid shall be submitted in their respective designated online covers.
5. The Forest Department/Periyar Tiger Conservation Foundation will not be responsible for any inconveniences or loss to the Bidder while uploading/downloading the bid.
6. The tender/bids shall be opened online at the office of the Deputy Director, (PT), Periyar East Division/ Secretary, Periyar Tiger Conservation Foundation, Thekkady in the presence of bidders/their representatives who wish to attend at the above address. If the tender opening date happens to be on a holiday or non working day due to any other valid reason, the tender opening process will be done on the next working day at same time and place.
7. All other existing conditions related to e-tendering of Kerala PWD will be applicable in this tender also.

Details of Items**Procurement and installation of Surveillance Equipments-(e-Eye) with following Specifications**

<i>Sl No.</i>	<i>Item</i>	<i>Specification</i>	<i>Quantity</i>
(1)	(2)	(3)	(4)
1	Server	RACK, Hexa Core Processor, Ivy Bridge or equivalent 2.10 GHz, 15 MB Cache 1600 MHz, 2 × 8 GB Memory 2.5" Hot Swap SAS/SATA Multi Burner, Integrated RAID 01 (M5110e card) with IMM and Remote console licence	1
2	Server SATA HDD	500 GB SATA SAS HDD	8
3	Client PC	3rd generation processor, 1.80GHz 1600MHz 3MB with suitable OS, 4GB DDR3 SDRAM 1333 MHz, 500 GB HDD, Integrated Ethernet LAN, 802.11BGN Wireless LAN	1
4	Routers	Standard ADSL Router	2
5	Network Switch	8-port Giga Bit Switch	1
6	Network Switch	16-Port Gigabit Copper Unmanaged Switch	1
7	Tower	Galvanised Steel Towers 45 meters, with Installation and Commissioning	1
8	Tower Installation	Installation	1
9	Cat 6 Cable	Weather proof Cat 6 cable network cable 300 Meters	1
10	2 Core Power Cable	3 Sq mm or better power cable 90 M	1
11	UPS	Smart-UPS On-Line, 1400 Watts /2000 VA, Input 230V /Output 230V, Interface Port DB-9 RS- 232, Smart Slot, Extended runtime model, Rack Height 4 U	1
12	Server Rack	TABLE RACK 19" 18 U /1000 with cooling	1
13	LED Monitor for display	32 inch Display	1
14	LED Monitor for display	21 inch Display	1
15	Thermal Sensors with Clear vision PTZ assembly with embeded Video Encoder	1. Thermal video sensor with at least 4kms range to detect vehicle. 2. Camera with verifocal lens with remote zoom capability. Having zoom range 1 to 36 at least. 3. Dual mount (one thermal and one clear vision) PTZ arrangement with IP 66 Housing and germanium window for thermal sensor. 4. H264 based IP video encoder with serial port interface	1
16	IP Indoor Camera	Wide angle pinhole security camera	2
17	IR Camera	3.5 mm, IP66 Housing, IR Array	2

(1)	(2)	(3)	(4)
18	Lighting Protection and Earthing	Standard copper wire based lighting protector with standard earthing arrangement	1
19	Aviation Light	Red Color aviation light DC/AC.	1
20	Connectors and Sockets	Standard Sockets and connectors per tower	1
21	Suitable Server	Server OS	1
22	Suitable OS	OS	1
23	Application software	Customized application for Image capture, process and alerting suit with secure web interface	1
24	App and configuration	e-Eye Per tower Agent app and configuration	1

Periyar Tiger Conservation Foundation,
Thekkady,

S. MOHANAN PILLAI IFS,
Secretary.

Health Services Department

സംഗ്രഹം

ദർഘാസ് നമ്പർ—4/2015-16/മാ.ആ.കേ., തിരു.
മാനസികാരോഗ്യകേന്ദ്രം, തിരുവനന്തപുരം,
ഫോൺ: 0471-2434762, 2432689, 2433868.

ഈ സ്ഥാപനത്തിലെ കിച്ചണിലെ ഉപയോഗത്തിനായി Steam Cooker with Full Accessories including installation and Commissioning charges വാങ്ങുന്നത് സംബന്ധിച്ച്.

ദർഘാസ് ഫോറത്തിന്റെ വില

അസ്സൽ

പകർപ്പ്

` 50,000 വരെ

` 300 + വാറ്റ് @ 5%

` 150 + വാറ്റ് @ 5%

` 50,000 മുതൽ ` 10,00,000 വരെ

ടെണ്ടർ തുകയുടെ 0.2% അതായത് അടുത്ത 100-ന്റെ ഗുണിതങ്ങളായി നിജപ്പെടുത്തിയത്, എന്നാൽ ഏറ്റവും കുറഞ്ഞത് ` 500-ഓ ഏറ്റവും കൂടിയ തുക ` 2,000 + വാറ്റ് @ 5%

അസ്സൽ ടെണ്ടർ തുകയുടെ 50% ആയത് അടുത്ത 100-ന്റെ ഗുണിതങ്ങൾ + വാറ്റ് @ 5%

അടങ്കൽ തുക—` 1,80,000.

നിരതദ്രവ്യം—` 1%.

ദർഘാസ് ഫോറം വിൽക്കുന്ന തീയതി—22-1-2016 മുതൽ.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—29-1-2016, 2 മണിവരെ.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—30-1-2016, 12 മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—1-2-2016, 2 മണി.

Abstract

Tender No. 4/2015-16/MHC, TVM.
Mental Health Centre, Thiruvananthapuram
Phone: 0471-2434762, 2432689, 2433868.

Tender for Steam Cooker with Accessories including installation and Commissioning charges

*Cost of Tender form**Original**Duplicate*

Up to ` 50,000

` 300 + VAT @ 5%

` 150 + VAT @ 5%

Above ` 50,000 Up to ` 10,00,000

0.2% of the cost of tender
rounded to the nearest
multiple of 100, subject to a
minimum of ` 500 and maximum
of ` 2,000 + VAT @ 5%

50% of the cost of the original,
upper rounded to the nearest
multiple of 100 + VAT @ 5%

Probable amount of contract—` 1,80,000.

Earnest Money Deposit—1%.

Starting date to tender form sale—22-1-2016.

Last date and time of tender sales—29-1-2016, 2 p. m.

Last date and time of tender received—30-1-2016, 12 noon.

Tender opening date and time—1-2-2016, 2 p. m.

Mental Health Centre,
Thiruvananthapuram.

(Sd.)
Superintendent.

സംഗ്രഹം

ദർഘാസ് നമ്പർ—05/2015-16/മാ.ആ.കേ., തിരു.
മാനസികാരോഗ്യകേന്ദ്രം, തിരുവനന്തപുരം,
ഫോൺ: 0471-2434762, 2432689, 2433868.

ഈ കേന്ദ്രത്തിലെ കിച്ചണിലെ ഉപയോഗത്തിനായി കിച്ചൺ മെഷിനറിസ് വാങ്ങുന്നത് സംബന്ധിച്ച്.

ദർഘാസ് ഫോറത്തിന്റെ വിലഅസൽപകർപ്പ്

` 50,000 വരെ

` 300 + വാറ്റ് @ 5%

` 150 + വാറ്റ് @ 5%

` 50,000 മുതൽ ` 10 ലക്ഷം വരെ

ടെൻഡർ തുകയുടെ
0.2% അതായത് അടുത്ത 100-ന്റെ
ഗുണിതങ്ങളായി നിജപ്പെടുത്തിയത്,
എന്നാൽ ഏറ്റവും കുറഞ്ഞത്
` 500-ഓ ഏറ്റവും കൂടിയ തുക
` 2,000 + വാറ്റ് @ 5%

അസ്സൽ ടെൻഡർ തുകയുടെ
50% ആയത് അടുത്ത
100-ന്റെ ഗുണിതങ്ങൾ
+ വാറ്റ് @ 5%

അടങ്കൽ തുക—` 3,15,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് വിൽക്കുന്ന തീയതി—20-1-2016 മുതൽ.

ദർഘാസ് വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—28-1-2016, 12 മണി വരെ.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—29-1-2016, 3 മണി വരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—30-1-2016, 11 മണി.

Abstract

Tender No. 05/2015-16/MHC, TVM.
Mental Health Centre, Thiruvananthapuram
Phone: 0471-2434762, 2432689, 2433868.

Tender for the Purchase of Kitchen Machineries*Cost of Tender form**Original**Duplicate*

Up to ` 50,000

` 300 + VAT @ 5%

` 150 + VAT @ 5%

Above ` 50,000 Up to ` 10 Lakhs

0.2% of the cost of tender
rounded to the nearest
multiple of 100, subject to a
minimum of ` 500 and maximum
of ` 2,000 + VAT @ 5%

50% of the cost of the original,
upper rounded to the nearest
multiple of 100 + VAT @ 5%

Probable amount of contract—` 3,15,000.

Earnest Money Deposit—1%.

Starting date of sale of tender form—20-1-2016.

Last date and time of sale of tender form—28-1-2016, 12 noon.

Last date and time of received tender form—29-1-2016, 3 p. m.

Date and time of opening of tender—30-1-2016, 11 a. m.

Mental Health Centre,
Thiruvananthapuram.

(Sd.)
Superintendent.

ദർഘാസ് പരസ്യം

നമ്പർ എ2/6101/2015.

2015 ഡിസംബർ 28.

കൊല്ലം ജില്ലാ ആശുപത്രിയിലെ ലിംബ് ഫിറ്റിംഗ് സെന്ററിലേക്ക് ആവശ്യമായ സാധനങ്ങൾ നൽകുന്നതിന് താല്പര്യമുള്ള നിർമ്മാതാക്കൾ/അംഗീകൃത വിതരണ കമ്പനിക്കാർ എന്നിവരിൽനിന്നും പ്രത്യേകം സീലുവച്ച ടെണ്ടറുകൾ താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ പ്രകാരം ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 30-12-2015 മുതൽ ആരംഭിക്കുന്നതും 30-1-2016, 3 മണിക്ക് അവസാനിക്കുന്ന തുമായിരിക്കും. ടെണ്ടറുകൾ 30-1-2016-ാം തീയതി പകൽ 3 മണിവരെ സ്വീകരിക്കുന്നതും 31-1-2016 രാവിലെ 11 മണിക്ക് ടെണ്ടർ നൽകിയ വ്യക്തികളുടെയോ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. അസൽ ദർഘാസ് ഫോറത്തിന്റെ വിലയായ ` 400-ം നിയമാനുസൃത വിൽപ്പന നികുതിയും. പകർപ്പിന് ` 200-ം വിൽപ്പന നികുതിയും

വാറ്റും യഥാക്രമം 0210/80/800/88/0040/102/99 എന്ന അക്കൗണ്ട് ഹെഡിലും അടച്ച ചെലാൻ രസീതും ഹാജരാക്കുന്നവർക്ക് മാത്രമേ ദർഘാസ് ഫോറം നൽകുകയുള്ളൂ.

ഈ സ്ഥാപനത്തിൽനിന്നും നൽകിയ ടെണ്ടർ ഫോറം മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസിനോടൊപ്പം ` 100-ന്റെ മുദ്രപ്പത്രത്തിൽ എഗ്രിമെന്റും നിയമാനുസൃതമായ സെക്യൂരിറ്റി തുകയുടെ (` 2,000) ഡിമാന്റ് ഡ്രാഫ്റ്റും സമർപ്പിക്കേണ്ടതാണ്.

ടെണ്ടർ ഫോറം വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ ഹാജരാക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറത്തിന്റെ നിലവിലുള്ള വിലയിലും വിൽപ്പന നികുതിയിലും മാറ്റം വന്നാൽ ദർഘാസ് ഫോറവിലയായി അടച്ച തുകയുടെ ബാക്കി തുകഅടച്ച ചെലാൻ രസീത് ഹാജരാക്കേണ്ടതാണ്.

മുന്നറിയിപ്പ് കൂടാതെ ടെണ്ടർ നിരസിക്കാനോ ടെണ്ടർ നടപടികൾ നീട്ടിവയ്ക്കാനോ ആശുപത്രി സൂപ്രണ്ടിന് അധികാരം ഉണ്ടായിരിക്കും.

ലിംബ് ഫിറ്റിംഗ് സെന്ററിലേക്ക് വേണ്ടിവരുന്ന സാധനങ്ങളുടെ വിശദവിവരം ഇതോടൊപ്പം ഉള്ളടക്കം ചെയ്തിട്ടുണ്ട്.

List of Raw Materials

<i>Sl. No.</i>	<i>Name of Items</i>	<i>Quantity</i>
1	S. L. Calf leather (with Sample)	5000 Square D.C.M
2	Lining leather (with Sample)	5000 Square D.C.M
3	103-Resin (araldeate)	20 kg
4	Hardiner	3 kg
5	G. P. Resin	10 kg
6	Accelarator 6%	500 gm
7	Cataleat	500 gm
8	Rubber Bush 1"	100 Nos.
9	Rubber Bush ¾"	100 Nos.
10	P. P. Sheet 5mm	75 sqt.
11	P. P. Sheet 3mm	50 sqt.
12	Acetone (500ml bottle) Nice	20 Nos.
13	PVC Film	100 meter
14	POP Powder (1kg pkt)	200 kg.
15	Pigment (Sand Stone Color)	1kg
16	Padding Subber 5mm	100 sqt
17	Rivet button	5 box
18	Bootlace long	100 pair
19	Shoes lace	100 pair
20	D-ring 1' (Capsule type)	5 pkt.
21	D-ring ¾" (Capsule type)	5 pkt.
22	D-ring 1¼" (Capsule type)	5 pkt.
23	D-ring 1½" (Capsule type)	4 pkt.
24	Maida	3 kg.
25	Copper rivet 3/16" × ¾"	2 kg.
26	Copper rivet 5/32" × ¾"	2 kg.
27	Copper rivet 1/8" × ¾"	2 kg.
28	Rubber solution-SR (Favicol)	60 ltr.
29	Jaipur foot ordinary (lt, Rt)	20 Nos.
30	Rubber sole 9mm (Culcutta sole with sample)	200 sqt.
31	Sheep skin (with sample)	5 kg.
32	2" Nails	5 kg.
33	Tracing paper	24 Nos.
34	Bee wax	1 kg.

ജില്ലാ ആശുപത്രി,
കൊല്ലം.

(ഒപ്പ്)
സുപ്രണ്ട്.

Medical Education Department**ദർഘാസ് പരസ്യം**

നമ്പർ സി/1574/2015/ജി.എം.സി.ഐ. 2015 ഡിസംബർ 28.

ഇടുക്കി ഗവൺമെന്റ് മെഡിക്കൽ കോളേജിലെ ഇ. എൻ. റ്റി. ഡിപ്പാർട്ട്മെന്റിലേക്ക് ആവശ്യമായ താഴെപ്പറയുന്ന സാധനങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ ദർഘാസ് നമ്പരോടു കൂടി നിശ്ചിത തീയതിക്കു മുമ്പ് പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, ഇടുക്കി-685 602 എന്ന വിലാസത്തിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്.

ദർഘാസ് നമ്പർ—സി/1574/2015/ജി.എം.സി.ഐ.

ഉപകരണത്തിന്റെ പേര് :

(1) സ്റ്റെപ്പിലെക്റ്റമി സെറ്റ്—ഒരേണ്ണം.

(2) മാസ്റ്റേയ്ഡ് സർജ്ജറി ഉപകരണം—ഒരേണ്ണം.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—` 650.

ശരിപ്പകർപ്പ്—` 325.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—10-2-2016, 2.30 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—10-2-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—10-2-2016, 3.30 മണി.

ഫോറങ്ങൾ തപാലിൽ വേണ്ടവർ അയയ്ക്കുന്നതിനുവേണ്ട തുക ` 50 അധികമായി അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഓഫീസിൽ നേരിട്ടോ മണിയോർഡർ ആയോ സ്വീകരിക്കുന്നതാണ്. അല്ലാതെയുള്ള എല്ലാ അപേക്ഷകളും നിരസിക്കുന്നതാണ്. ഫോറത്തോടൊപ്പം മുദ്രപത്രങ്ങളോ മറ്റേതെങ്കിലും ഡോക്യുമെന്റുകളോ അയയ്ക്കാൻ ആവശ്യപ്പെട്ടുകൊണ്ടുള്ളതും മേൽവിലാസം വ്യക്തമല്ലാത്തതുമായ മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. മണിയോർഡറുകൾ വഴി ഫോറങ്ങൾ ആവശ്യപ്പെട്ടുകൊണ്ടുള്ള അപേക്ഷകൾ ഈ ഓഫീസിൽ 5-2-2016-നുമുമ്പ് കിട്ടിയിരിക്കണം. താമസിച്ച് കിട്ടുന്ന മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും ഒരിക്കൽ അടച്ച തുക തിരിച്ചു കിട്ടുന്നതുമല്ല. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ഓഫീസിൽനിന്നും ലഭിക്കുന്നതാണ്.

No. C/1574/2015/GMCI.

28th December 2015.

Sealed competitive tenders are invited for the supply of the following items required for ENT Department, Government Medical College, Idukki. Tender should be superscribed, tender number and addressed to the Principal, Government Medical College, Idukki, Pin-685 602. Details can be had from this office on working hours till 3.30 p.m.

Tender No.—C/1574/2015/GMCI.

Name of Equipment—

1. Stapedectomy set—1 No.
2. Mastoid Surgery Instruments—1 No.

Cost of tender form (including sales tax) :

Original—` 650.

Duplicate—` 325.

Last date and time for sale of tender form—
10-2-2016, 2.30 p. m.Last date and time for receipt of tender form—
10-2-2016, 3 p. m.Opening date and time of tender—10-2-2016,
3.30 p. m.

Tender forms will be send through post if required provided due amount with sufficient postage charge (` 50) is sent by way of Money Order in favour of the Principal, Govt. Medical College, Idukki, Kerala State, Pin-685 602. Money Order should reach this office on or before 5-2-2016. No other forms of remittance will be accepted. 1% of total cost must be paid as Earnest Money Deposit as D.D in favour of the Principal, Government Medical College, Idukki.

Details of Items

STAPEDECTOMY SET

Specification:

1. Mat black finish aural specula (one set)
2. Endaural mastoid retractor (Lempert)
3. Micro round knife—2 Nos.
4. Micro sickle knife—2 Nos.
5. Micro straight pick—2 Nos.
6. Micro elevator—2 Nos.
7. Micro right angle pick—2 Nos.
8. Micro curved pick—2 Nos.
9. Micro cup forceps—5 Nos.
10. Microcrocodile forceps—2 Nos.
11. Micro scissors—2 Nos.
12. Micro stapes curette-straight and angled—2+2Nos.
13. Perforator—2 Nos.
14. Crimping forceps—2 Nos.
15. Teflon piston-(Shepard's)—10 Nos.
16. Micro Suction tip—Full set

MASTOID SURGERY INSTRUMENTS

Specification:

1. Cutting (round, tungsten carbide) No. 5—5 Nos.
2. Cutting (round, tungsten carbide) No. 4—5 Nos.
3. Cutting (round, tungsten carbide) No. 3—5 Nos.
4. Cutting (round, tungsten carbide) No. 2—3 Nos.
5. Cutting (round, tungsten carbide) No. 1—3 Nos.
6. Cutting (round, tungsten carbide) No. 0.8—3 Nos.
7. Diamond burr (round, tungsten carbide) No. 5—3 Nos.
8. Diamond burr (round, tungsten carbide) No. 3—3 Nos.
9. Diamond burr (round, tungsten carbide) No. 2—3 Nos.
10. Diamond burr (round, tungsten carbide) No. 1—3 Nos.
11. Diamond burr (round, tungsten carbide) No. 0.8—3 Nos.
12. Postaural mastoid retractor—1 No.
13. Cell seaker—1 No.
14. Harman forceps—1 No.
15. Micro ear suction tip (set)—1 No.
16. Gouge (set)—1 No.
17. Mallet—1 No.
18. Periosteal elevator—1 No.
19. Micro cup forceps—2 Nos.

Government Medical College,
Idukki.(Sd.)
Principal (i/c).ദർഘാസ് പരസ്യം

നമ്പർ എസ്1-2357/2015/ഐ.സി.ഡി. 2015 ഡിസംബർ 30.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജ്, ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ചെസ്റ്റ് ഡിസീസസ് ആശുപത്രിയിലേക്ക് നോൺ ഇൻവേസീവ് വെന്റിലേറ്റർ ഒരെണ്ണം (1 എണ്ണം) വിതരണം നടത്തുന്നതിന് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത വിതരണക്കാരിൽ നിന്നോ മത്സരാധിഷ്ഠിതമായ മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ആവശ്യമെങ്കിൽ ഉപകരണത്തിന്റെ പ്രവർത്തന രീതികൾ നേരിട്ട് നടത്തി ബോധ്യപ്പെടുത്തേണ്ടതാണ്.

ഏകദേശ വില— ` 1,10,000.

നിരതദ്രവ്യം—ഒരു ശതമാനം.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ— ` 630.

ഡ്യൂപ്ലിക്കേറ്റ്— ` 315.

തപാൽവഴി— ` 680.

ദർഘാസ് ഫോറുകൾ തപാൽവഴി വിൽപ്പന നടത്തുന്ന അവസാന തീയതിയും സമയവും—8-2-2016 ഉച്ചയ്ക്കുശേഷം 2 മണി.

ദർഘാസ് ഫോറുകൾ നേരിട്ട് വിൽപ്പന നടത്തുന്ന അവസാന തീയതിയും സമയവും—15-2-2016 ഉച്ചയ്ക്കുശേഷം 3.30 മണി.

ദർഘാസ് ഫോറുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—16-2-2016 ഉച്ചയ്ക്കുശേഷം 3.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—17-2-2016 രാവിലെ 11.30 മണി.

ദർഘാസുകൾ ദർഘാസ് നമ്പർ മേലേഴുത്തോടുകൂടി നേരിട്ട് നൽകുകയോ അല്ലാത്തപക്ഷം, സുപ്രണ്ട്, ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ചെസ്റ്റ് ഡിസീസ്, ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-673 008 എന്ന വിലാസത്തിൽ അവസാന തീയതിക്ക് മുമ്പായി കിട്ടത്തക്കവിധത്തിൽ തപാലിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാണ്. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. നിശ്ചിത മാനദണ്ഡങ്ങൾ പാലിക്കാത്തതും നിരതദ്രവ്യം സഹിതം സമർപ്പിക്കാത്തതുമായ ദർഘാസുകൾ യാതൊരുവിധ അറിയിപ്പും കൂടാതെ നിരസിക്കുന്നതാണ്. ദർഘാസുകൾ 17-2-2016-ന് രാവിലെ 11.30 മണിക്ക് ദർഘാസുകൾ സമർപ്പിച്ചവരോ, അവർ ചുമതലപ്പെടുത്തുന്നവരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടുന്നതാണ്. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണി ഓർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് ഫോമിൽ കാണിച്ചിരിക്കുന്ന തുക ഇൻഡ്യൻ രൂപയിൽ ആയിരിക്കണം. ദർഘാസ് ഫോറുകൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല.

` 100 (നൂറ് രൂപ) കേരള സർക്കാരിന്റെ മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദാന തുകയുടെ 1 ശതമാനം നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. കൂടുതൽ വിവരങ്ങൾ ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ചെസ്റ്റ് ഡിസീസ് സുപ്രണ്ട് ഓഫീസിൽ പ്രവർത്തി സമയങ്ങളിൽ ലഭ്യമാണ്. (ഫോൺ-0495 2359645)

No. S1/2357/2015/ICD.

30th December 2015.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized suppliers for the supply of Non Invasive Ventilator—1 No. to Institute of Chest Diseases, Govt. Medical College, Kozhikode as detailed. Demonstration of the item is to be done if necessary.

Estimate Cost— ` 1,10,000.

EMD—1%.

Cost of tender form :

Original— ` 630.

Duplicate— ` 315.

By post— ` 680.

Last date and time of tender form by post—8-2-2016 at 2 p. m.

Last date and time of sale of tender form — 15-2-2016 at 3.30 p. m.

Last date and time for receipt of tender form— 16-2-2016, 3.30 p. m.

Last date and time for opening of tender—17-2-2016 at 11.30 a.m.

Date up to which the rates are to be firm—31-3-2016.

Tender should be superscribed with tender No. S1/2357/2015/ICD and addressed to the Superintendent, Institute of Chest Diseases, Govt. Medical College, Kozhikode-673 008. Tender should be submitted on or before 16-2-2016, 3.30 p.m. Belated tenders will not be accepted. Each tender should be submitted along with an agreement signed and executed in Kerala Government Stamp Paper worth ` 100 (Hundred Only) and EMD @ 1% of the total cost of the items tendered for. Tenders will be opened on 17-2-2016, 11.30 a.m. in the presence of the tenderers or their authorised representatives.

Rates should be quoted in Indian Rupees only. The tenders which do not satisfy the condition, without the agreement and with insufficient Earnest Money Deposit are liable to be rejected without any notice. Tender forms are not transferable. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender form. Duplicate copy of tender form can be obtained on payment. Stamp paper will be supplied to the firms outside Kerala, on request along with remittance of ` 140 (Rupees one Hundred and Forty Only) by money order taken in favour of the Superintendent, Institute of Chest Diseases, Govt. Medical College, Kozhikode-673 008.

Further details and machine's specification can be had from the office of the Superintendent, Institute of Chest Diseases, Govt. Medical College, Kozhikode, during working hours (Phone: 0495-2359645).

Institute of Chest Diseases,
Govt. Medical College,
Kozhikode.

(Sd.)
Superintendent.

Survey and Land Records Department

ദർശന പരസ്യം

നമ്പർ ഡി1-150/2014.

2015 ഡിസംബർ 31.

തിരുവനന്തപുരം താലൂക്കിലെ റീസർവ്വെ ആവശ്യത്തിലേക്കായി താഴെ വിവരിച്ചിട്ടുള്ള അളവിലുള്ള സർവ്വെക്കല്ലുകൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

അടങ്കൽ തുക— ` 9,00,000.

ടെണ്ടറുകൾ അടക്കം ചെയ്ത കവറിന് മുകളിൽ തിരുവനന്തപുരം താലൂക്കിലേക്ക് സർവ്വെക്കല്ലുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ എന്നെഴുതി അസിസ്റ്റന്റ് ഡയറക്ടർ, റീസർവ്വെ ഓഫീസ്, കുമാരപുരം, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ 2016 ഫെബ്രുവരി 19 വൈകുന്നേരം 5 മണിക്കുമുമ്പ് ലഭിക്കത്തക്കവണ്ണം അയച്ചിരിക്കേണ്ടതാണ്. വൈകി കിട്ടുന്ന ടെണ്ടറുകൾ സ്വീകരിക്കുന്നതല്ല. 20-2-2016-ന് ഉച്ചയ്ക്കുശേഷം 2 മണിക്ക് തൽസമയം ഹാജരുള്ള ടെണ്ടറുകാരുടെയോ, അവർ രേഖാമൂലം അധികാരപ്പെടുത്തിയ പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ ടെണ്ടറുകൾ തുറക്കുന്നതാണ്. സർക്കാരോ ബന്ധപ്പെട്ട അധികാരികളോ അന്നേദിവസം പൊതു അവധിയായി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തിദിവസം അതേ സ്ഥലത്തും, അതേ സമയത്തും ടെണ്ടർ തുറക്കുന്നതായിരിക്കും.

സർവ്വെ കല്ലുകൾ ഇന്റസ് കിട്ടി ഒരു മാസത്തിനകം ഇന്റസ്റ്റിൽ പറഞ്ഞിട്ടുള്ള സ്ഥലങ്ങളിൽ വിതരണം ചെയ്യേണ്ടതാണ്.

ടെണ്ടർ സമർപ്പിക്കാൻ ഉദ്ദേശിക്കുന്നവർ ടെണ്ടർ സമർപ്പിക്കേണ്ട തീയതിക്ക് തൊട്ട് മുമ്പുള്ള 6 മാസത്തിനകം അതാത് താലൂക്ക് തഹസീൽദാരിൽനിന്നും വാങ്ങിയിട്ടുള്ള സ്വന്തം ഭൂസ്വത്തുക്കളുടെ വിവരം കാണിക്കുന്നതും, കോൺട്രാക്ടിന്റെ മതിപ്പ് തുകയുടെ 10% എന്നാൽ ` 90,000-ൽ കുറയാത്തതുമായ സംഖ്യയ്ക്കുള്ള സോൾവൻസി സർട്ടിഫിക്കറ്റ് (ഒറിജിനൽ) ` 200-ന്റെ മുദ്രപത്രത്തിൽ ടെണ്ടറിനൊപ്പം അടക്കം ചെയ്തിരിക്കേണ്ടതാണ്.

ടെണ്ടർ സ്വീകരിക്കുന്നപക്ഷം സോൾവൻസി സർട്ടിഫിക്കറ്റിൽ കാണിച്ച സ്വത്തിന്റെ പകുതി ഭാഗം കരാർ കഴിയുന്നതുവരെ ഗവൺമെന്റിലേക്ക് പണയപ്പെടുത്തേണ്ടതും അല്ലാത്തപക്ഷം കരാർ മതിപ്പുവിലയുടെ 5% വരുന്ന തുക ബാങ്കിലടച്ച് ബാങ്ക് ഡ്രാഫ്റ്റോ, ബാങ്ക് ഗ്യാരന്റിയോ കരാർ കഴിയുന്നതുവരെ ഗവൺമെന്റിലേക്ക് പണയപ്പെടുത്തേണ്ടതുമാകുന്നു. ഈ തുക കരാർ മതിപ്പുവിലയുടെ 5% ജാമ്യത്തുകയായി ടെണ്ടർ സ്വീകരിച്ചതിനുശേഷം ടെണ്ടറുകാരൻ നിയമപ്രകാരം ഒടുക്കുന്നതിന് പുറമേ ആകുന്നു.

ടെണ്ടർ സമർപ്പിക്കുന്നതിനുള്ള നിശ്ചിത ഫോറം അസിസ്റ്റന്റ് ഡയറക്ടർ, റീസർവ്വെ ഓഫീസ്, കുമാരപുരം, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ അപേക്ഷ നൽകി വാങ്ങേണ്ടതാണ്.

ടെണ്ടർ ഫോറത്തിനുള്ള അപേക്ഷയോടൊപ്പം ടെണ്ടർ ഫോറത്തിന്റെ വിലയായ ` 1,800 (ആയിരത്തി എണ്ണൂറ് രൂപ മാത്രം)-ം വിൽപ്പന നികുതിയും പണമായി ഒടുക്കേണ്ടതാണ്. യാതൊരു കാരണവശാലും ടെണ്ടർ ഫോറത്തിന്റെ വില മടക്കി നൽകുന്നതല്ല.

ടെണ്ടർ ഫോറങ്ങളുടെ വിൽപ്പന 19-2-2016-ന് വൈകുന്നേരം 5 മണിക്ക് അവസാനിപ്പിക്കുന്നതാണ്. ചെക്കുകൾ, തപാൽമുദ്രകൾ മുതലായവ ടെണ്ടർ ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുകയോ, ടെണ്ടർ ഫോറം വി. പി. പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ആവശ്യമുള്ളവർക്ക് ഡ്യൂപ്ലിക്കേറ്റ് ടെണ്ടർ ഫോറം ` 900 (തൊള്ളായിരം രൂപ മാത്രം)-ം വിൽപ്പന നികുതിയും ഒടുക്കിയാൽ ലഭിക്കുന്നതാണ്.

സർവ്വെക്കല്ലുകളുടെ വിവരണം

നല്ല ഉറപ്പുള്ള കരിങ്കല്ലിൽ 60×15×15 സെ. മീ. അളവിലുള്ള കല്ലുകൾ- ` 7,500 (ഏഴായിരത്തി അഞ്ഞൂറ്) എണ്ണം.

എല്ലാ കല്ലുകളും, ഉറപ്പുള്ള കരിങ്കല്ലിൽ ഉള്ളവയും ഓരോ കല്ലിന്റെയും മുകളിൽനിന്നും മുന്നിലൊരു ഭാഗം ഒരുവിധം ചതുരപ്പെടുത്തിയും അവയുടെ ഒരു വശത്ത് ഒരു സെന്റീമീറ്റർ ആഴത്തിൽ ഒരു തെങ്ങ് അടയാളം രേഖപ്പെടുത്തിയിരിക്കുകയും വേണം. തെങ്ങടയാളത്തിന് മൊത്തം 12 സെ. മീ. നീളവും, 7 സെ. മീ. വീതിയും ഉണ്ടായിരിക്കണം. തെങ്ങടയാളത്തിന്റെ മുകൾ ഭാഗം കല്ലിന്റെ മുകൾ ഭാഗത്തുനിന്നും 7 സെ. മീ. താഴെയായിരിക്കുകയും വേണം. എല്ലാ സർവ്വെ കല്ലുകളുടെയും മുകൾഭാഗത്ത് മദ്ധ്യത്തിലായി ഒരു സെ. മീ. ആഴമുള്ള ഒരു പ്ലമറ്റ് ഫോൾ ഉണ്ടായിരിക്കണം. ടൗൺ സർവ്വെയ്ക്ക് ബ്ലോക്ക് ബൗണ്ടറിയിലും, ഖണ്ഡം ബൗണ്ടറിയിലും മറ്റും സ്ഥാപിക്കേണ്ടി വരുന്ന കണ്ണാടി കല്ലുകൾക്ക് ഇന്റസ്റ്റിൽ നിർദ്ദേശിക്കുന്ന വിധം നിയമാനുസൃതമായ നിശ്ചിത അടയാളങ്ങൾ കൂടി ഉണ്ടായിരിക്കേണ്ടതാണ്.

ഓരോ ടെണ്ടറിന്റെയും കൂടെ ` 22,500 (ഇരുപത്തി രണ്ടാറത്തി അഞ്ഞൂറ് രൂപ മാത്രം) നിരതദ്രവ്യം കെട്ടിവച്ച രസീത് അടക്കം ചെയ്തിരിക്കേണ്ടതാണ് (സർവ്വെ ഡയറക്ടറുടെ പേരിൽ മാറാവുന്ന തരത്തിൽ). നിരതദ്രവ്യം കെട്ടിവച്ച രസീത് അടക്കം ചെയ്യാത്ത ടെണ്ടറുകൾ പരിഗണിക്കുന്നതല്ല. ടെണ്ടറിന്റെ പൊതു നിബന്ധനകളിൽ 33-ാം ഖണ്ഡികയിൽ നിർദ്ദേശിച്ച പ്രകാരം ` 200-ന്റെ മുദ്രപത്രത്തിൽ നിശ്ചിത ഫോറത്തിൽ തയ്യാറാക്കി സാക്ഷ്യപ്പെടുത്തിയ ഒരു കരാർ കൂടി ടെണ്ടറിനോടൊപ്പം അടക്കം ചെയ്തിരിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ തിരുവനന്തപുരം റീസർവ്വെ അസിസ്റ്റന്റ് ഡയറക്ടറുടെ ഓഫീസിൽ നിന്നും ഓഫീസ് പ്രവൃത്തി സമയത്ത് അറിയാവുന്നതാണ്.

അസിസ്റ്റന്റ് ഡയറക്ടർ ഓഫീസ്
(റീസർവ്വെ), കുമാരപുരം,
തിരുവനന്തപുരം.

(ഒപ്പ്)
അസിസ്റ്റന്റ് ഡയറക്ടർ.

Technical Education Departmentലഘു ദർഘാസ് പരസ്യം

(1)

നമ്പർ ഡി3-3932/2015/RIT.

2015 ഡിസംബർ 15.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ മെക്കാനിക്കൽ ഡിപ്പാർട്ട്മെന്റിലെ എർഗോണമിക്സ് ലാബിലേക്ക് രണ്ട് സ്പ്ലിറ്റ് എയർ കണ്ടീഷണറും രണ്ട് വോൾട്ടേജ് സ്റ്റേബിലൈസറും നൽകുന്നതിനും ഇൻസ്റ്റാൾ ചെയ്യുന്നതിനും താൽപര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,06,500.

ടെണ്ടർ ഫോമിന്റെ വില :

അസ്സൽ— ` 420.

പകർപ്പ്— ` 210.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—6-2-2016, 2 മണി.

പുരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-2-2016, 2 മണി.

ദർഘാസ് തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—9-2-2016, 2 മണി.

ദർഘാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ ` 35 അധികമായി ഓരോ ദർഘാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 30-1-2016 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ദർഘാസ് ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർഘാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുന്ന ആൾ ദർഘാസിനോടൊപ്പം ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D3-3932/2015/RIT.

15th December 2015.

Sealed tenders are invited for the supply and installation of 2 Nos. of Split Air Conditioners and 2 Nos. of Voltage Stabilizers for Ergonomics Lab in ME Department of Rajiv Gandhi Institute of Technology, Kottayam.

Total Cost— ` 1,06,500.

Cost of tender forms (including Taxes):

Original— ` 420

Duplicate— ` 210.

Last date and time of sale of tender— 6-2-2016, 2 p. m.

Last date and time of receipt of tender— 8-2-2016, 2 p. m.

Date and time of opening of tender— 9-2-2016, 2 p. m.

Those who want tender forms by Registered Post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 30-1-2016.

Tender forms can be had from the Office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a. m. to 3 p. m. The tender should be superscribed as Tender No. and date. Cheques, Postage Stamp, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 200 and EMD 1% of total cost of the articles tendered by way of DD in favour of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tender without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

(2)

നമ്പർ ഡി3-5832/2015/RIT.

2015 ഡിസംബർ 16.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ മെക്കാനിക്കൽ ഡിപ്പാർട്ട്മെന്റിലേക്ക് കീ ഷോർട്ട് എൻ്റർപ്രൈസ് എഡീഷൻ സോഫ്റ്റ്വെയറോ അല്ലെങ്കിൽ തത്തുല്യമായത് നൽകുന്നതിനും ഇൻസ്റ്റാൾ ചെയ്യുന്നതിനും താൽപര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 2,75,000.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ— ` 630.

പകർപ്പ്— ` 315.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—8-2-2016, 2 മണി.

പുരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—9-2-2016, 2 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—10-2-2016, 2 മണി.

ദർഘാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ 35 അധികമായി ഓരോ ദർഘാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 28-1-2016 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ടെൻഡർ ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർഘാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുന്ന ആൾ ദർഘാസിനൊപ്പം 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D3-5832/2015/RIT.

16th December 2015.

Sealed tenders are invited for the supply and installation of software Key Shot Enterprise Edition or equivalent for the use of ME Department of Rajiv Gandhi Institute of Technology, Kottayam.

Total Cost—` 2,75,000.

Cost of tender forms (including VAT):

Original—` 630.

Duplicate—` 315.

Last date and time of sale of tender form—8-2-2016, 2 p. m.

Last date and time of receipt of tender form—9-2-2016, 2 p.m.

Date and time of opening of tender—10-2-2016, 2 p. m.

Those who want tender forms by Registered Post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 28-1-2016.

Tender forms can be had from the Office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a. m. to 3 p. m. The tender should be superscribed as Tender No. and date. Cheque, Postage Stamp, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition, the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 200 and EMD 1% of total cost of the articles tendered by way of DD in favours of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tenders without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

(3)

നമ്പർ ഡി1-6048/2015.

2015 ഡിസംബർ 22.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ കമ്പ്യൂട്ടർ ഡിപ്പാർട്ടുമെന്റിലേക്ക് 10 Kva, Online UPS നൽകുന്നതിന് താൽപര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,75,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (വാറ്റ് ഉൾപ്പെടെ):

അസ്സൽ—` 630.

പകർപ്പ്—` 315.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—8-2-2016, 1 മണി.

പുരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—9-2-2016, 1 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—9-2-2016, 2 മണി.

ദർഘാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ 35 അധികമായി ഓരോ ദർഘാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 1-2-2016 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ടെൻഡർ ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർഘാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുന്ന ആൾ ദർഘാസിനൊപ്പം ` 100 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D1-6048/2015/RIT.

22nd December 2015.

Sealed tenders are invited for the supply of 10 Kva Online UPS for the use in the Central Computer Science and Engineering Department of Rajiv Gandhi Institute of Technology, Kottayam.

Total Estimate Cost—` 2,75,000.

EMD—1% of the Total Cost.

Cost of tender forms (including VAT):

Original—` 630.

Duplicate—` 315.

Last date and time of sale of tender from—
8-2-2016, 1 p. m.

Last date and time of receipt of tender from—
9-2-2016, 1 p.m.

Date and time of opening of tender—
9-2-2016, 2 p. m.

Those who want tender forms by Registered Post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 1-2-2016.

Tender forms can be had from the Office of the Principal, Rajiv Gandhi Institute of Technology, Vellor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a. m. to 3 p. m. The tender should be superscribed as Tender No. and date. Cheque, Postage Stamp, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition, the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 100 and an EMD 1% of total cost of the articles tendered by way of DD in favours of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tenders without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

(4)

നമ്പർ ഡി1-6152/2015.

2015 ഡിസംബർ 26.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ കമ്പ്യൂട്ടർ ഡിപ്പാർട്ടുമെന്റിലേക്ക് PA System നൽകുന്നതിന്, താൽപര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 1,70,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (വാറ്റ് ഉൾപ്പെടെ):

അസ്സൽ—` 420.

പകർപ്പ്—` 210.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—10-2-2016, 1 മണി.

പൂരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—11-2-2016, 1 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—11-2-2016, 2 മണി.

ദർഘാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ ` 35 അധികമായി ഓരോ ദർഘാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 3-2-2016 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ടെൻഡർ ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർഘാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുന്ന ആൾ ദർഘാസിനൊപ്പം ` 100 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D1-6152/2015/RIT.

26th December 2015.

Sealed tenders are invited for the supply of a PA System for the use in the Computer Science and Engineering Department of Rajiv Gandhi Institute of Technology, Kottayam.

Total Estimate Cost—` 1,70,000.

EMD—1% of the Total Cost.

Cost of tender forms (including VAT):

Original—` 420.

Duplicate—` 210.

Last date and time of sale of tender form—
10-2-2016, 1 p. m.

Last date and time of receipt of tender form—
11-2-2016, 1 p.m.

Date and time of opening of tender—
11-2-2016, 2 p. m.

Those who want tender forms by Registered Post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 3-2-2016.

Tender forms can be had from the Office of the Principal, Rajiv Gandhi Institute of Technology, Vellor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a. m. to 3 p. m. The tender should be superscribed as Tender No. and date. Cheque, Postage Stamp, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition, the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 100 and in EMD 1% of total cost of the articles tendered by way of DD in favours of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tenders without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

(5)

നമ്പർ ഡി2/6080/2015.

2016 ജനുവരി 4.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ പരീക്ഷാ ഹാളിലേക്ക് സി സി റ്റി വി ക്യാമറ നൽകി സ്ഥാപിക്കുന്നതിന് താൽപര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർശാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,36,600.

ദർശാസ് ഫോമിന്റെ വില :

അസ്സൽ—` 525.

പകർപ്പ്—` 315.

ദർശാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—28-1-2016, 2 മണി.

പൂരിപ്പിച്ച ദർശാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—29-1-2016, 1 മണി.

ദർശാസ് തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—29-1-2016, 2 മണി.

ദർശാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ ` 35 അധികമായി ഓരോ ദർശാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 21-1-2016 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ദർശാസ് ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർശാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർശാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർശാസ് നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർശാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർശാസ് നിയമം അനുസരിച്ച് ദർശാസ് സമർപ്പിക്കുന്ന ആൾ ദർശാസിനോടൊപ്പം 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർശാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർശാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D2/6080/2015/RIT.

4th January 2016.

Sealed tenders are invited for the supply and installation of CCTV Cameras in Examination Hall of Rajiv Gandhi Institute of Technology, Kottayam.

Total Cost—` 2,36,600.

Cost of tender forms (including VAT):

Original—` 525.

Duplicate—` 315.

Last date and time of sale of tender form—
28-1-2016, 2 p. m.

Last date and time of receipt of tender form—
29-1-2016, 1 p. m.

Date and time of opening of tender—
29-1-2016, 2 p. m.

Those who want tender forms by Registered Post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 21-1-2016.

Tender forms can be had from the Office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a. m. to 3 p. m. The tender should be superscribed as Tender No. and date. Cheques, Postage Stamp, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 200 and EMD 1% of total cost of the articles tendered by way of DD in favours of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tender without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

Rajiv Gandhi Institute of
Technology, Kottayam.

(Sd.)
Principal.

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ എ2-1462/15.

2016 ജനുവരി 6.

ചിറ്റൂർ ഗവൺമെന്റ് ടെക്നിക്കൽ ഹൈസ്കൂളിലെ ഇലക്ട്രോണിക്സ് സെക്ഷനിലേക്ക് ആവശ്യമായ സാധനസാമഗ്രികൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ടെണ്ടർ നമ്പർ—1/2015-16.

അടങ്കൽ തുക— ` 1,72,200.

നിരതദ്രവ്യം— ഉദ്ദേശിച്ച നിരക്കിന്റെ ഒരു ശതമാനം (നിരതദ്രവ്യം ദേശസാൽകൃത ബാങ്കിൽ മാറാവുന്ന ഡ്രാഫ്റ്റായി മാത്രം).

വിവരണം—ടൂൾസ് & എക്യുപ്മെന്റ്സ്-ഇലക്ട്രോണിക്സ് സെക്ഷൻ.

ടെണ്ടർ ഫോറത്തിന്റെ വില:

അസ്സൽ— ` 400 + വാറ്റ്

പകർപ്പ്— ` 200 + വാറ്റ്.

ദർഘാസുകൾ വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—5-2-2016, 11 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—5-2-2016, 3 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—6-2-2016, 11 മണി.

താൽപര്യമുള്ളവർക്ക് കൈമാറ്റം ചെയ്യപ്പെടാനാവാത്ത ദർഘാസുകൾ ഓരോന്നിനും പ്രത്യേകം സൂപ്രണ്ട്, ഗവൺമെന്റ് ടെക്നിക്കൽ ഹൈസ്കൂൾ, ചിറ്റൂർ-678 101 എന്ന വിലാസത്തിൽ നിന്നും പണമായി അടച്ച് നേരിലോ മണി ഓർഡർ മുഖേനയോ മാത്രം (` 40 പോസ്റ്റൽ ചാർജ്ജ് പുറമെ) ലഭിക്കുന്നതാണ്. നിരതദ്രവ്യം ദേശസാൽകൃത ബാങ്കിൽ നിന്നും ഡിമാന്റ് ഡ്രാഫ്റ്റായി എസ്. ബി. ടി., ചിറ്റൂർ മാറാവുന്ന തരത്തിൽ സൂപ്രണ്ട്, ഗവൺമെന്റ് ടെക്നിക്കൽ ഹൈസ്കൂൾ, ചിറ്റൂർ എന്ന പേരിൽ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിനോടൊപ്പംതന്നെ ` 100-ന്റെ കേരള സർക്കാർ മുദ്രക്കടലാസിൽ പ്രാഥമിക കരാറിൽ ഏർപ്പെടേണ്ടതാണ്. ടെണ്ടറുകൾ പരഞ്ഞിരിക്കുന്ന തീയതിയിലും സമയത്തും അനേകം സാന്നിധ്യമുള്ളവരുടെ മുമ്പാകെ വെച്ച് തുറക്കുന്നതാണ്. ടെണ്ടറുകൾ സ്വീകരിക്കുന്നതിനും നിരസിക്കുന്നതിനുമുള്ള എല്ലാ അധികാരവും സർക്കാരിൽ നിക്ഷിപ്തമാണ്.

No. A2/1462/2015.

6th January 2016.

Sealed and competitive tenders are invited for the purchase of Tools and Equipments for Electronics Department to Government Technical High School, Chittur, Palakkad.

Tender No.— 1/2015-16.

Estimate cost— ` 1,72,200.

EMD—1% of quoted value (only by means of Demand Draft from a Nationalised Bank).

Description—Purchase of Tools and Equipments for Electronics Section.

Price of tender form:

Original— ` 400 + VAT

Duplicate— ` 200 + VAT.

Last date and time of issue of tender form—5-2-2016, 11 a. m.

Last date and time of receipt of tender form—5-2-2016, 3 p. m.

Date and time of opening of tender—6-2-2016, 11 a. m.

Interested tenderers may obtain the requisite non transferable tender forms separately for each tenders from the Superintendent, Government Technical High School, Chittur-678 101 on payment of the value noted against each by cash or by money order (Postage charge ` 40 extra). The cost of the tender forms will be accepted by means of cash or by money order only. EMD should be submitted by way of Demand Draft drawn on any Nationalised bank in the name of the Superintendent, Government Technical High School, Chittur payable at SBT, Chittur. The tender forms should be accompanied by an agreement executed in Kerala Government Stamp Paper worth ` 100.

Tenders should be clearly superscribed with the description and Tender No. and the same will be open on the specified date and time in the presence of such tenderers on their authorized representatives. The final acceptance of the tender rests entirely with the Government who do not bind themselves to accept the lowest or any other tender.

LIST OF ITEMS

Sl. No.	Details of Items with Specification	Quantity of Items now required
(1)	(2)	(3)
1	Digital Wattmeter (LCD Display Single Phase Two wire 250V, 50 Hz, Max Load 40A)	2 Nos.
2	Inverter (600V Inverter with suitable tabular battery)	2 „
3	SMPS 500W	4 „
4	SAT Meter	1 No.
	Input Frequency Range 950-2400 MHz, Supply Voltage 13 -18VDC, Input Level Max 10 dbm, Input Level Min 40 dbm	

(1)	(2)	(3)
5	TV Receiver CRT Colour 21"	1 No.
6	TV Receiver CRT Colour 21"- Black and White	1 No.
7	TV Receiver Demonstration kit (Black & White CRT)	1 No.
8	TV Receiver (LED) 24"	1 No.
9	TV Receiver Demonstration kit (LED)	1 No.
10	TV Receiver Demonstration kit (Colour CRT)	1 No.

Government Tehcnical High School,
Chittur, Palakkad-678 101
Phone No. 0492 3222174.

(Sd.)
Superintendent.

ദർഘാസ് പരസ്യം

നമ്പർ 2349/15.

2015 ഡിസംബർ 30.

മേപ്പാടി സർക്കാർ പോളിടെക്നിക് കോളേജിന്റെ Language ലാബിലേക്ക് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്ക് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് കവറിനു പുറത്ത് 'ദർഘാസ് നമ്പരും Language ലാബിലേക്ക് ഉപകരണം വിതരണം ചെയ്യുന്നതിന്' എന്ന് എഴുതി പ്രിൻസിപ്പാൾ, ഗവ. പോളിടെക്നിക് കോളേജ്, വയനാട്-673 577 എന്ന വിലാസത്തിൽ അയയ്ക്കണം. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും 12-2-2016, 11 മണി ആകുന്നു.

അടങ്കൽ തുക— ` 2,00,000.

അന്നേ ദിവസം 12 മണിക്ക് ദർഘാസുകൾ സമർപ്പിച്ച വരോ അല്ലെങ്കിൽ അവർ ഉത്തരവാദിപ്പെടുത്തിയ പ്രതിനിധി കളോ ഹാജരല്ലെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതായിരിക്കും. വൈകിക്കിട്ടിയ ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസുകൾ സമർപ്പിക്കുവാൻ ഉദ്ദേശിക്കുന്നവർ വില ഓഫീസിൽ അടച്ച് ദർഘാസ് ഫോറം കൈപ്പറ്റേണ്ടതാണ്. ദർഘാസ് ഫോറം ഒന്നിന് ` 400 + 5% വാറ്റ് പണമായി ഓഫീസിൽ അടയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില അടച്ചത് തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറം വിലപന 11-2-2016, 3 മണി വരെ മാത്രമായിരിക്കും.

ദർഘാസ് ഫോറങ്ങൾ തപാലിൽ ലഭിക്കുവാൻ ദർഘാസ് വിലയോടൊപ്പം തപാൽ ചാർജ്ജ് ` 35 ഉൾപ്പെടെ മണിയോർഡറായി അയച്ചുതരേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറങ്ങൾ ഒരെണ്ണത്തിന് ` 200 + 5% വാറ്റ് എന്ന നിരക്കിൽ ലഭിക്കുന്നതായിരിക്കും. ചെക്ക്, ഡി. ഡി., പോസ്റ്റൽ ഓർഡർ എന്നിങ്ങനെ മറ്റ് വിധത്തിൽ ദർഘാസ് വില സ്വീകരിക്കുന്നതല്ല.

ഉപകരണങ്ങളുടെ വിശദ വിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതായിരിക്കും. ദർഘാസിനോടൊപ്പം നിരതദ്രവ്യം (മൊത്തം ദർഘാസ് തുകയുടെ 1%) പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റായി ഉൾക്കൊള്ളിച്ചിരിക്കണം. കൂടാതെ ` 100-ന്റെ മുദ്രപത്രത്തിൽ ഒരു കരാറും ദർഘാസിനോടൊപ്പം ഉണ്ടായിരിക്കണം.

No. P/2349/15/GPC-MPD.

30th December 2015.

Sealed tenders are invited for the supply of the item for the Language Lab of Government Polytechnic College, Meppadi.

Estimated Cost— ` 2,00,000.

The tender should be superscribed as "Tender No. P/2349/15/GPC-MPD for the Purchase of a set of language lab software to the language lab of this college and addressed to the Principal, Government Polytechnic College, Meppadi-673 577. Last date and time for receipt of tender is 12-2-2016 at 11 a.m. and that tenders will be opened at 12 noon on 12-2-2016 in the presence of such tenderers' or their authorized representatives, who may be present at that time. Late tenders will not be considered. Intending tenderers on request will get the tender forms and list of items with specifications from the office of the undersigned during Office hours. Application for tender form should be accompanied by a cash remittance of ` 400 + VAT which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will close at 3 p.m. on 11-2-2016. Cheques, DD, Postal stamps, postal orders etc. neither be accepted towards the cost of tender forms, nor will it be sent as VPP. Those who wish and obtain the tender forms through registered post should send the cost of tender forms + VAT + ` 35 Postal charges as M. O., Duplicate tender forms, if required, will be issued for ` 200 + VAT per copy. The tender should contain EMD, 1% of total cost as quoted the items, as demand draft and also an agreement in Kerala Stamp Paper with ` 100.

DETAILS OF ITEM

Name of item and specification—Language Lab Software-Teacher & Student Console with necessary control functions (20 Users Licence).

Quantity—1 set (20 users licence).

Govt. Polytechnic College,
Meppadi.
Phone: 04936 282095.

(Sd.)
Principal.

Water Transport Departmentലഘു ദർഘാസ് പരസ്യം

(1)

നമ്പർ സി2-6195/2015.

2015 ഡിസംബർ 27.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—73/സി2/2015-16.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—ബാറ്ററി ഇനങ്ങൾ

അടങ്കൽ തുക—` 4,40,000.

നിരതദ്രവ്യം—` 4,400.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 945 (എസ്.റ്റി. ഉൾപ്പെടെ).

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—28-1-2016, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—28-1-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—28-1-2016, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണി വരെ ഈ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

ടെലഫോൺ നമ്പർ-0477-2252015.

(2)

നമ്പർ സി2-6716/2015.

2016 ജനുവരി 1.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്, ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—74/സി5/2015-16.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—സ്റ്റീൽ മറൈൻ ഷീറ്റ്/ഹൾ പ്ലേറ്റ് ഷീറ്റ് ആന്റ് ആംഗിൾ അയൺ.

അടങ്കൽ തുക—` 3,02,100.

നിരതദ്രവ്യം—` 3,021.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 630 (എസ്.റ്റി. ഉൾപ്പെടെ).

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—8-2-2016, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—8-2-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—8-2-2016, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണി വരെ ഈ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

ടെലഫോൺ നമ്പർ-0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്
ഡയറക്ടറേറ്റ്, ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.